

8. REFERENCES

- Abdul AS, Gibson TL, Rai DN. 1987. Statistical correlations for predicting the partition coefficient for nonpolar organic contaminants between aquifer organic carbon and water. *Haz Waste Haz Mat* 4:211-222.
- *ACGIH. 1986. Documentation of the threshold limit values and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists, 244.
- *ACGIH. 1996. Threshold limit values for chemical substances and physical agents and biological exposure indices (1995-1996). American Conference of Governmental Industrial Hygienists, Cincinnati, Ohio.
- *Acton DW, Barker JF. 1992. In situ biodegradation potential of aromatic hydrocarbons in anaerobic groundwaters. *Journal of Contaminant Hydrology* 9:325-352.
- *Adinolfi M. 1985. The development of the human blood-CSF-brain barrier. *Developmental Medicine & Child Neurology* 27:532-537.
- Al-Gailany KAS, Houston JB, Bridges JW. 1977. The role of substrate lipophilicity in determining type 1 microsomal P450 binding characteristics. *Biochem Pharmacol* 27:783-788.
- Alarie Y. 1981. Bioassay for evaluating the potency of airborne sensory irritants and predicting acceptable levels of exposure in man. *Food Cosmet Toxicol* 19:623-626.
- Alarie Y, Wakisaka I, Oka S. 1973. Sensory irritation by sulfur dioxide and chlorobenzylidene malononitrile. *Environ Physiol Biochem* 3:53-64.
- Aldyeva MV. 1983. Styrene and ethylbenzene. In: *Encyclopedia of occupational health and safety*. Vol. 2, 2113-2115.
- Almgren M, Grieser F, Powell JR, et al. 1979. A correlation between the solubility of aromatic hydrocarbons in water and micellar solution, with their normal boiling points. *J Chem Eng Data* 24:285-287.
- *Altman PK, Dittmer DS. 1974. In: *Biological handbooks: Biology data book, Volume III*, second edition. Bethesda, MD: Federation of American Societies for Experimental Biology, pp. 1987-2008, 2041.
- Altshuller AP, Bellar TA. 1963. Gas chromatographic analysis of hydrocarbons in the Los Angeles atmosphere. *J Air Pollut Control Assoc* 13:81-87.
- Altshuller AP, Lonneman WA, Sutterfield FD, et al. 1971. Hydrocarbon composition of the atmosphere of the Los Angeles basin - 1967. *Environ Sci Technol* 5:1009-1016.

*Cited in text

- *Amoore JE, Hautala E. 1983. Odor as an aid to chemical safety: Odor thresholds compared with threshold limit values and volatilities for 214 industrial chemicals in air and water dilution. *J Appl* 3:272-290.
- *Andersen ME, Krishnan K. 1994. Relating *in vitro* to *in vivo* exposures with physiologically-based tissue dosimetry and tissue response models. In: H. Salem, ed. Current concepts and approaches on animal test alternatives. U.S. Army Chemical Research Development and Engineering Center, Aberdeen Proving Ground, Maryland.
- *Andersen ME, MacNaughton MG, Clewell HJ, et al. 1987. Adjusting exposure limits for long and short exposure periods using a physiological pharmacokinetic model. *Am Ind Hyg Assoc J* 48(4):335-343.
- Andersen P. 1953. Inhibitory reflexes elicited from the trigeminal and olfactory nerves in rabbits. *Acta Physiol Scand* 30:137-148.
- *Andersson K, Fuxe K, Nilsson OG, et al. 1981. Production of discrete changes in dopamine and noradrenaline levels and turnover in various parts of the rat brain following exposure to xylene, ortho-, meta-, and para-xylene, and ethylbenzene. *Appl Pharmacol* 60:535-548.
- *Andrew FD, Buschbom RL, Cannon WC, et al. 1981. Teratologic assessment of ethylbenzene and 2-ethoxyethanol. Richland, WA: Battelle Pacific Northwest Laboratory. PB83-208074., 108.
- *Aneja VP. 1993. Organic compounds in cloud water and their deposition at a remote continental site. *J Air Waste Manage Assoc* 43:1239-1244.
- *Angerer J, Lehnert G. 1979. Occupational chronic exposure to organic solvents: VIII. Phenolic compounds-metabolites of alkylbenzenes in man. Simultaneous exposure to ethylbenzene and xylenes. *Int Arch Occup Environ Health* 43:145-150.
- *Angerer J, Wulf H. 1985. Occupational chronic exposure to organic solvents. XI. Alkylbenzene exposure of varnish workers: Effects on hematopoietic system. *Int Arch Occup Environ Health* 56:307-321.
- *Anid PJ, Alvarez PJJ, Vogel TM. 1993. Biodegradations of monoaromatic hydrocarbons in aquifer columns amended with hydrogen peroxide and nitrate. *Wat Res* 27(4):685-691.
- Anonymous. 1969. Analytical guides. Ethylbenzene. Vapor phase chromatography method. *Am Ind Hyg Assoc J* 30:535-536.
- *Antoine SR, DeLeon IR, O'Dell-Smith RM. 1986. Environmentally significant volatile organic pollutants in human blood. *Bull Environ Contam* 36:364-371.
- *APHA. 1995a. Standard methods for evaluation of water and wastewater. American Public Health Association. American Water Works Association. Water Environment Federation. 6040 A.
- *APHA. 1995b. Standard methods for evaluation of water and wastewater. American Public Health Association. American Water Works Association. Water Environment Federation. 6210B.

- *APHA. 1999. Standard methods for evaluation of water and wastewater. American Public Health Association. American Water Works Association. Water Environment Federation. 6220B.
- *APHA. 1995d. Standard methods for evaluation of water and wastewater. American Public Health Association. American Water Works Association. Water Environment Federation. 6220C.
- Aquatic Life Advisory Committee of the Ohio River Valley Water Sanitation Committee. 1960. Aquatic life water quality criteria: Third progress report. J Water Pollut Control Fed 32:65-82.
- *Ashley DL, Bonin MA, Cardinali FL. 1992. Determining volatile organic compounds in human blood from a large sample production by using purge and trap gas chromatography-mass spectrometry. Anal Chem 64(9):1021-1029.
- *Ashley DL, Bonin MA, Cardinali FL, et al. 1994. Blood concentration of volatile organic compounds in a nonoccupationally exposed US population and in groups with suspected exposure. Clin Chem 40(7):1401-1409.
- *Ashley DL, Bonin MA, Hamar B, et al. 1995. Removing the smoking confounder from blood volatile organic compounds measurements. Environ Res 7(1):39-45.
- *Ashley DL, Prah JD. 1997. Time dependence of blood concentrations during and after exposure to a mixture of volatile organic compounds. Archives of Environmental Health 52 (1):26-33.
- *Assmuth T, Kalevi K. 1992. Concentrations and toxicological significance of trace organic compounds in municipal solid waste landfill gas. Chemosphere 24(9):1207-1216.
- *ASTER. 1995. ASTER (Assessment Tools for the Evaluation of Risk) ecotoxicity profile. Duluth, MN: Environmental Research Laboratory, U.S. Environmental Protection Agency.
- *ASTM. 1994a. Standard test method for purgeable organic compounds in water using headspace sampling. D 3871-84. American Society for Testing and Materials.
- *ASTM. 1994b. Standard practice for measuring volatile organic matter in water by aqueous injection gas chromatography. D 2908-91. American Society for Testing and Materials.
- *Atkinson R, Aschmann SM, Winer AM. 1987. Kinetics of the reactions of NO₃ radicals with a series of aromatic compounds. Environ Sci Technol 21: 1123- 1126.
- *Atkinson R, Carter WPL. 1984. Kinetics and mechanisms of the gas-phase reactions of ozone with organic compounds under atmospheric conditions. Chem Rev 84:437-470.
- Atkinson R, Carter WPL, Aschmann SM, et al. 1985. Atmospheric fates of organic chemicals: Prediction of ozone and hydroxyl radical reaction rates and mechanisms. Riverside, CA: Statewide Air Pollut Res Ctr. EPA-600/3-85/063 (NTIS PB85 241-529), 86.
- *Atkinson R, Darnall KR, Pitts JN Jr. 1978. Rate constraints for reaction of OH radicals and ozone with cresols at 300K. J Phys Chem 82:2759-2761. As cited in NAS 1980.

- *ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles. Agency for Toxic Substances and Disease Registry, Division of Toxicology, Atlanta, GA.
- *ATSDRKDC. 1990. Subcommittee report on biological indicators of organ damage. Agency for Toxic Substances and Disease Registry, Centers for Disease Control and Prevention, Atlanta, GA.
- *Backer LC, Egeland GM, Ashley DE, et al. 1997. Exposure to regular gasoline and ethanol oxyfuel during refueling in Alaska. *Environ Health Perspect* 105(8):850-5.
- *Backes WL, Sequeira DJ, Cawley GF, et al. 1993. Relationship between hydrocarbon structure and induction of P-450: Effects on protein levels and enzyme activities. *Xenobiotica* 23(12):1353-1366.
- *Bakke OM, Scheline RR. 1970. Hydroxylation of aromatic hydrocarbons in the rat. *Appl Pharmacol* 16:691-700.
- Banerjee S. 1985. Calculation of water solubility of organic compounds with UNIFAC-derived parameters. *Environ Sci Technol* 19:369-370.
- Banerjee S, Howard PH. 1988. Improved estimation of solubility and partitioning through correction of UNIFAC-derived activity coefficients. *Environ Sci Technol* 22:839-841.
- Bardodej Z, Bardodejova E. 1961. [Value and application of exposure tests. X. Exposure test for ethylbenzene]. *Ceskoslovenska Hygiena* 6:537-545. (Czechoslovakian).
- *Bardodej Z, Bardodejova E. 1970. Biotransformation of ethylbenzene, styrene, and alpha-methylstyrene in man. *Am Ind Hyg Assoc J* 31:206-209.
- *Bardodej Z, Cirek A. 1988. Long-term study on workers occupationally exposed to ethylbenzene. *J Hyg Epidemiol Microbiol Immunol* 32:1-5.
- *Barker JF. 1987. Volatile aromatic and chlorinated organic contaminants in groundwater at six Ontario landfills. *Water Pollut Res J Can* 22:33-48.
- Barker JF, Tessmann JS, Plotz PE, et al. 1986. The organic geochemistry of a sanitary landfill plume. *J Contam Hydrol* 1:171-189.
- *Barnes D, Bellin J, DeRosa C, et al. 1987. Reference dose (RfD): Description and use in health risk assessments. Appendix A: Integrated risk information system supportive documentation. Washington, DC: US Environmental Protection Agency, Office of Health and Environmental Assessment. EPA/600/8-86-032a.
- *Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. U.S. Environmental Protection Agency. *Regul Pharmacol* 8:471-486.
- *Barrefors G, Petersson G. 1993. Assessment of ambient volatile hydrocarbons from tobacco smoke and from vehicle emissions. *J Chromatogr* 643(1/2):71-76.

Battelle Labs. 1981. Teratologic assessment of ethylbenzene and 2-ethoxyethanol. US EPA/OTS Public Files. FYI-OTS-0581-0105.

Bayer CW, Black MS. 1987. Capillary chromatographic analysis of volatile organic compounds in the indoor environment. *J Chromatogr Sci* 25:60-64.

Beall JR, Ulsamer AG. 1981. Toxicity of volatile organic compounds present indoors. *Bull N Y Acad Med* 57:978-996.

*Beavers JD, Himmelstein JS, Hammond KS, et al. 1996. Exposure in a household using gasoline-contaminated water. *J Occup Environ Med* 38(1):35-38.

*Beavers JD, Himmelstein JS, Hammond SK, et al. 1996. Exposure in a household using gasoline-contaminated water: a pilot study. *Journal of Occupational and Environmental Medicine* 38(1):35-38.

Bedding ND, McIntyre AE, Perry R, et al. 1982. Organic contaminants in the aquatic environment: I. Sources and Occurrence. *Sci Total Environ* 25:143-167.

Berglund RL, Whipple GM. 1987. Predictive modeling of organic emissions. *Chem Eng Prog* 83:46-54.

*Berkley RE, Vams JL, Pleil J. 1991. Comparison of portable gas chromatographs and passivated canisters for field sampling airborne toxic organic vapors in the United States and the USSR. *Environ Sci Technol* 25(8):1439-1444.

*Bernard AM, De Russis R, Normand J-C, et al. 1989. Evaluation of the subacute nephrotoxicity of cyclohexane and other industrial solvents in the female Sprague-Dawley rat. *Lett* 45(2/3):271-280.

*Bertsch W, Anderson E, Holzer G. 1975. Trace analysis of organic volatiles in water by gas chromatography-mass spectrometry with glass capillary columns. *J Chromatogr* 112:701-718.

*Bertsch W, Chang RC, Zlatkis A. 1974. The determination of organic volatiles in air pollution studies: Characterization of profiles. *J Chromatogr Sci* 12:175-182.

*Bestetti G, Galli E. 1984. Plasmid-coded degradation of ethylbenzene and 1-phenylethanol in *Pseudomonas fluorescens*. *FEMS Microbiology Letters* 21:165-168. As cited in ECETOC 1986.

*Bevan MAJ, Proctor CJ, Baker-Rogers J. 1991. Exposure to carbon monoxide, respirable suspended particulates, and volatile organic compounds while commuting by bicycle. *Environ Sci Technol* 25(4):788-791.

*Biedermann M, Grob K, Morchio G. 1995. On the origin of benzene, toluene, ethylbenzene and xylene in extra virgin olive oil. *Z Lebensm Unters Forsch* 200:266-272.

*Bio/dynamics. 1986a. A four day inhalation study of ethylbenzene in the rat, mouse, and rabbit. Submitted to the US EPA/OTS Public Files. Document #86870000432.

- *Bio/dynamics. 1986b. A four day inhalation study of ethylbenzene in the rat, mouse and rabbit. New Dot ID # 86870000423 Ethylbenzene Producers Association 1330 Connecticut Ave. #300 Wash. DC 20036- 1702.
- *Blank IH, McAuliffe DJ. 1985. Penetration of benzene through human skin. *J Invest Dermat.* 84:522-526.
- *Blank IH, Scheuplein RJ. 1969. Transport into and within the skin. *Brit J Dermatol.* 84(4):4-10.
- Bocek K. 1976. Relationships among activity coefficients, partition coefficients and solubilities. *Experientia Suppl* 23:231-240.
- *Bohon RL, Claussen WF. 1951. The solubility of aromatic hydrocarbons in water. *J Am Chem Soc* 73:1571-1578.
- Bond DL, Thodos G. 1960. Vapor pressures of alkyl aromatic hydrocarbons. *J Chem Eng Data* 5:289-292.
- *Bonner TA, Cornett CL, Desai BO, et al. 198 1. Engineering handbook for hazardous waste incineration. Report to US Environmental Protection Agency, Office of Solid Waste, Washington, DC, by Monsanto Research Corp., Dayton, OH. EPA/SW-899. NTIS PB81-248163
- *Borden RC, Yanoschak TM. 1990. Ground and surface water quality impacts of North Carolina sanitary landfills. *Water Resources Bulletin: American Water Resources Association* 26(2):269-277.
- Bos R, Goudena EJG, Guicherit R, et al. 1978. Atmospheric precursors and oxidants concentrations in the Netherlands. In: Guicherit R, ed. *Photochemical smog/formation in the Netherlands*. 20-59.
- Bos R, Guicherit R, Hoogeveen A. 1977. Distribution of some hydrocarbons in ambient air near Delft and the influence on the formation of secondary air pollutants. *Sci Total Environ* 7:269-28 1.
- *Bouwer EJ, McCarty PL. 1983. Transformations of halogenated organic compounds under dinitrification conditions. *Appl Environ Microbial* 45: 12951299.
- *Bouwer EJ, McCarty PL. 1984. Modeling of trace organics biotransformation in the subsurface. *Ground Water* 22:433-440.
- *Boyd SA, Xiangcan J, Lee J-F. 1990. Sorption of nonionic organic compounds by corn residues from a no-tillage field. *J Environ Qual* 19:734-738.
- *Brass HJ. 1982. Procedures for analyzing organic contaminants in drinking water. *Am Water Works Assoc J* 74:107-112.
- Brodzinsky R, Singh HB. 1983. Volatile organic chemicals in the atmosphere: An assessment of available data. Menlo Park, CA: Atmospheric Science Center, SRI International. Contract 68-02-3452., 198.
- Brooke DN, Dobbs AJ, Williams N. 1986. Octanol:water partition coefficients(P): Measurement, estimation, and interpretation, particularly for chemicals with P>105. *Ecotox Environ Safety* 11:25 1-260.

- *Brown HS, Hattis D. 1989. The role of skin absorption as a route of exposure for volatile organic compounds (VOCs) in household tap water: A simulated kinetic approach. *J Am Coll Toxicol* 8(5):839-851.
- Brown RL, Wasik SP. 1974. A method of measuring the solubilities of hydrocarbons in aqueous solutions. *J Res Natl Bur Stand Set A* 78:453-460.
- *Burback BL, Perry JJ. 1993. Biodegradation and biotransformation of groundwater pollutant mixtures by mycobacterium vaccae. *Applied and Environmental Microbiology* 59(4):1025-1029.
- *Bureau of the Census. 1985. U.S. Exports, schedule E., 2-69. As cited in HSDB 1988.
- Burkhard LP, Kuehl DW. 1986. N-octanol/water partition coefficients by reverse phase liquid chromatography/mass spectrometry for eight tetrachlorinated planar molecules. *Chemosphere* 15:163-167.
- *Burris DR, MacIntyre WG. 1984. Water solubility behavior of hydrocarbon mixtures implications for petroleum dissolution. In: Vandermeulen JH, Hruday SE, eds., *Oil in freshwater: Chemistry, biology, countermeasure technology*. New York, NY: Pergamon Press, 85-93.
- Buswell JA, Jurtshuk P. 1969. Microbial oxidation of hydrocarbons measured by oxygraphy (using a Clark oxygen electrode). *Arch Mikrobiol* 64:215-222.
- *C&EN. 1994a. Production by the U.S. chemical industry: growth continues in chemical production. *Chemical Engineering News*. 30-35.
- *C&EN. 1994b. Top 50 chemicals production rose modestly last year. *Chemical Engineering News*. 12-16.
- *C&EN. 1995a. Production soars in most chemical sectors. *Chemical Engineering News*. 38-42.
- *C&EN. 1995b. Production of top 50 chemicals increased substantially in 1994. *Chemical Engineering News*. 16-22.
- *Calabrese EJ. 1978. Pollutants and high-risk groups. The biological basis of increased human susceptibility to environmental and occupational pollutants. New York, NY: John Wiley and Sons, 186-193.
- Campbell JR, Luthy RG. 1985. Prediction of aromatic solute partition coefficients using the UNIFAC group contribution model. *Environ Sci Tech* 19:980-985.
- Canady WT, Robinson DA, Colby HD. 1974. A partition model for hepatic cytochrome P-450-hydrocarbon complex formation. *Biochem Pharmacol* 23:3075-3078.
- *Chan C-C, Lin S-H, Her G-R. 1994. Office worker's exposure to volatile organic compounds while commuting and working in Taipei City. *Atmospheric environment* 28(14):2351-2359.
- Chao J, Lin CT, Chung TH. 1983. Vapor pressure of coal chemicals. *J Phys Chem Ref Data* 12:1033-1063.

- CHEMFATE. 1989. Syracuse Research Corporation, Syracuse, NY. January 1989. Chin BH, Sullivan LJ, Kozbelt SJ, et al. 1978. Excretion and urinary metabolic profiles of ethylbenzene, ethylcyclohexane, and methylethylbenzene in rats and dogs [Abstract]. Appl Pharmacol 45:240.
- *Chen C-I, Taylor RT. 1995. Thermophilic biodegradation of BTEX by two thermus species. Biotechnology and Bioengineering 48:614-624.
- *Chen CS, Zoltek Jr J. 1995. Organic priority pollutants in wetland-treated leachates at a landfill in central Florida. Chemosphere 31(6):3455-3464.
- *Chin BH, McKelvey JA, Calisti LJ, et al. 1980a. A comparison of *in vivo* and *in vitro* (tissue explant) techniques: Metabolic profile of ethylbenzene in the rat and the dog. Bull Environ Contam Toxicol 25:241-245.
- *Chin BJ, McKelvey JA, Tyler TR, et al. 1980b. Absorption, distribution, and excretion of ethylbenzene, ethylcyclohexane, and methylethylbenzene isomers in rats. Bull Env Contam 24:477-483.
- Chin YP, Weber WJ Jr, Voice TC. 1986. Determination of partition coefficients and aqueous solubilities by reverse phase chromatography-II. Evaluation of partitioning and solubility models. Water Res 20:1443-1450.
- Chiou CT. 1985. Partition coefficients of organic compounds in lipid-water systems and correlations with fish bioconcentration factors. Environ Sci Technol 19:57-62.
- *Chiou CT, Porter PE, Schmedding DW. 1983. Partitioning equilibria of nonionic organic compounds between soil organic matter and water. Environ Sci Technol 17:227-231.
- *Clark AI, McIntyre AE, Lester JN, et al. 1982. Evaluation of a Tenax GC sampling procedure for collection and analysis of vehicle-related aromatic and halogenated hydrocarbons in ambient air. J Chromatogr 252:147-157.
- Clark AI, McIntyre AE, Lester JN, et al. 1984. Ambient air measurements of aromatic and halogenated hydrocarbons at urban, rural and motorway locations. Sci Total Environ 39:265-279.
- Clark AI, McIntyre AE, Perry R, et al. 1984. Monitoring and assessment of ambient atmospheric concentrations of aromatic and halogenated hydrocarbons at urban, rural, and motorway locations. Environ Pollut Series B 7:141-158.
- Claus D, Walker N. 1964. The decomposition of toluene by soil bacteria. J Gen Microbiol 36:107-122.
- *Clewett HJ III, Andersen M. 1985. Risk assessment extrapolations and physiological modeling. Ind Health 1(4):111-131.
- *Climie IJG, Hutson DH, Stoydin G. 1983. The metabolism of ethylbenzene hydroperoxide in the rat. Xenobiotica 13:611-618.
- *Cole RH, Frederick RE, Healy RP, et al. 1984. Preliminary findings of the priority pollutant monitoring project of the nationwide urban runoff program. J Water Pollut Control Fed 56:898-908.

8. REFERENCES

- *Colenutt BA, Thorburn S. 1980. Gas chromatographic analysis of trace hydrocarbon pollutants in water samples. *Int J Environ Stud* 15:25-32.
- *Cometto-Muniz JE, Cain WS. 1995. Relative sensitivity of the ocular trigeminal, nasal trigeminal and olfactory systems to airborne chemicals. *Chemical Senses* 20(2):191-198.
- Confidential. 1987. Industrial hygiene evaluation study with attachments and cover letter dated 101687 (sanitized). Submitted to US EPA/OTS Public Files. US EPA/OTS. Document #86-880000078.
- *Conkle JP, Camp BJ, Welch BE. 1975. Trace composition of human respiratory gas. *Arch Env Health* 30:290-295.
- *Cotruvo JA. 1985. Organic micropollutants in drinking water: An overview. *Sci Total Environ* 47:7-26.
- Cox DP, Goldsmith CD. 1979. Microbial conversion of ethylbenzene to 1-phenethanol and acetophenone by *Nocardia tartaricans* ATCC 31190. *Appl Environ Microbial* 38:514-520.
- *Cragg ST, Clarke EA, Daly IW, et al. 1989. Subchronic inhalation toxicity of ethylbenzene in mice, rats, and rabbits. *Fundam Appl Toxicol* 13(3):399-408.
- *Cramer PH, Boggess KE, Hosenfeld JM, et al. 1988. Determination of organic chemicals in human whole blood: Preliminary method development for volatile organics. *Bull Environ Contam Toxicol* 40:612-618.
- *Cucco JA. 1987. A method of determining the efficiency of air sampling traps to collect and release volatile organic compounds. *Anal Lett* 20:223-234.
- *Daisey JM, Hodgson AT, Fisk WJ, et al. 1994. Volatile organic compounds in twelve California office buildings: Classes, concentrations and sources. *Atmospheric Environment* 28(22):3557-3562.
- Darnall KR, Lloyd AC, Winer AM, et al. 1976. Reactivity scale for atmospheric hydrocarbons based on reaction with hydroxyl radicals. *Environ Sci Technol* 10:692-696.
- De Bortoli M, Knoepfel H, Pecchio E, et al. 1986. Concentrations of selected organic pollutants in indoor and outdoor air in northern Italy. *Environ Int* 12:343-350.
- *De Ceaurriz JC, Micillino JC, Bonnet P, et al. 1981. Sensory irritation caused by various industrial airborne chemicals. *Letts (Amst)* 9:137-144.
- *de Medinilla J, Espirgares M. 1988. Contamination by organic solvents in auto paint shops. *Am Occup Hyg* 31(4):509-513.
- *Dean BJ, Brooks TM, Hodson-Walker G, et al. 1985. Genetic toxicology testing of 41 industrial chemicals. *Mutat Res* 153:57-77.
- *Dewulf J, Dewettinck T, De Visscher A, et al. 1996. Sorption of chlorinated 1- and 2-hydrocarbons and monocyclic aromatic hydrocarbons on sea sediment. *Water Research* 30 (12):3130-3138.

- *Dewulf J, Van Langenhove H. 1997. Chlorinated cl- and c2-hydrocarbons and monocyclic aromatic hydrocarbons in marine waters: an overview on fate processes, sampling, analysis and measurements. *Water Research* 31 (8):1825-1838.
- *DHHS. September 1995. Report to Congress on workers' home contamination study conducted under the workers' family protection act (29 U.S.C. 671a). U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health (Cincinnati, OH).
- Dmitriev MT, Rastyannikov EG, Etlin SN, et al. 1984. [Chromatographic mass spectrometric study of toxic substances adsorbed on dust]. *Gig Sanit*:44-47. (Russian).
- *DOT. 1990a. Hazardous materials table, special provisions, hazardous materials communications, emergency response information, and training requirements. Department of Transportation. Code of Federal Regulations. 49 CFR 172.101.
- *DOT. 1990b. List of hazardous substances and reportable quantities. Department of Transportation. Code of Federal Regulations. 172.101, App A.
- Dowty BJ, Laseter JL, Storer J. 1976. The transplacental migration and accumulation in blood of volatile organic constituents. *Pediatr Res* 10:696-701.
- *Dreisich FA, Munson TO. 1983. Purge-and-trap analysis using fused silica capillary column GC/MS. *J Chromatogr Sci* 21:111-118.
- *Driscoll N, Atwood ES. 1993. Application of gas chromatography with photoionization and electron-capture detectors for field screening of semi volatiles in soil and water. *J Chromatogr* 642:435-443.
- *Drozdz J, Novak J, Rijks JA. 1978. Quantitative and qualitative head-space gas analysis of parts per billion amounts of hydrocarbons in water: A study of model systems by capillary-column gas chromatography with splitless sample injection. *J Chromatogr*:471-482.
- *Dutkiewicz T, Tyras H. 1967. A study of the skin absorption of ethylbenzene in man. *Brit J Ind Med* 24: 330-332.
- *Dutkiewicz T, Tyras H. 1968. Skin absorption of toluene, styrene, and xylene by man. *Brit J Ind Med* 24:243.
- *ECETOC. 1986. Joint assessment of commodity chemicals. No. 7: Ethylbenzene. Brussels, Belgium: European Chemical Industry Ecology and Toxicology Center.
- *Ehrhardt M, Petrick G. 1984. On the sensitized photo-oxidation of alkylbenzenes in seawater. *Mar Chem* 15:47-58.
- *Eiceman GA, McConnon JT, Zaman M, et al. 1986. Hydrocarbons and aromatic hydrocarbons in groundwater surrounding an earthen waste disposal pit for produced water in the duncan oil field of New Mexico. *Int J Environ Anal Chem* 24:143-162.

8. REFERENCES

- *Eisenreich SJ, Looney BB, Thornton JD. 198 1. Airborne organic contaminants in the Great Lakes ecosystem. *Environ Sci Technol* 30:38.
- *El Masri AM, Smith JN, Williams RT. 1956. The metabolism of alkylbenzenes: n-Propylbenzene and n-butylbenzene with further observations on ethylbenzene. *Biochem J* 64:50-56.
- *El Masri AM, Smith JN, Williams RT. 1958. The metabolism of alkylbenzenes: Phenylacetylene and phenylethylene (styrene). *Biochem J* 64:50-56.
- *Elcombe CR, Bridges JW, Gray TJ, et al. 1975. Studies on the interaction of safrole with rat hepatic microsomes. *Biochem Pharmacol* 24:1427-1433.
- *Ellenhorn MJ, Barceloux DG. 1988a. Aromatic hydrocarbons. Medical toxicology diagnosis and treatment of human poisoning. Elsevier, 947-950.
- *Ellenhorn MJ, Barceloux DG. 1988b. Styrene. Medical toxicology diagnosis and treatment of human poisoning. Elsevier, 956-959.
- *Ellenson WD, Mukerjee S, Stevens RK, Willis RD, Shadwick DS, Somerville MC, Lewis RG. 1997. An environmental scoping study in the lower Rio Grande Valley of Texas: II. Assessment of transboundary pollution transport and other activities by air quality monitoring. *Environment International* 23(5):643-655.
- *Elovaara E, Engstrom K, Nickels J, et al. 1985. Biochemical and morphological effects of long-term inhalation exposure of rats to ethylbenzene. *Xenobiotica* 15:299-308.
- *Elovaara E, Engstrom K, Vainio H. 1982. Unaltered metabolism of m-xylene in the presence of ethylbenzene. *Dev Biochem* 23:265-268.
- *Elovaara E, Engstrom K, Vainio H. 1984. Metabolism and disposition of simultaneously inhaled m-xylene and ethylbenzene in the rat. *Appl Pharmacol* 75:466-478.
- *Engelke M, Bergmann U, Diehl HA. 1993. Fluidity of the Microsomal Membrane and Cytochrome P450 Reduction Kinetics of Pig Liver Microsomes as a Consequence of Organic Solvent Impact. *Xenobiotica* 23(1):71-78.
- *Engstrom J, Bjurstrom R. 1978. Exposure to xylene and ethylbenzene. II. Concentration in subcutaneous adipose tissue. *Stand J Work Environ Health* 4: 195-203.
- *Engstrom K, Elovaara E, Aitio A. 1985. Metabolism of ethylbenzene in the rat during long-term intermittent inhalation exposure. *Xenobiotica* 15:281-286.
- *Engstrom K, Riihimaki V, Laine A. 1984. Urinary disposition of ethylbenzene and m-xylene in man following separate and combined exposure. *Int Arch Occup Environ Health* 54:355-363.
- *Engstrom KM. 1984. Metabolism of inhaled ethylbenzene in rats. *Stand J Work Environ Health* 10:83-88.

Enzminger JD, Ahlert RC. 1987. Environmental fate of polynuclear aromatic hydrocarbons in coal tar. *Environ Technol Lett* 8:269-278.

*EPA. 1973. Guidelines establishing test procedures for analysis of pollutants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 136, App A.

*EPA. 1978. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4.

*EPA. 1979. Toxic pollutants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 401.15.

*EPA. 1981 a. Electroplating point source category. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 413.02.

*EPA. 1981b. Hazardous wastes from non-specific sources. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 236.3 1.

*EPA. 1981~. US Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.31.

*EPA. 1982a. Pretreatment standards for new sources (PSNS). U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 423.17.

*EPA. 1982b. Steam electric power generating point source category. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 423, App A.

*EPA. 1982c. Chemical lists and reporting periods. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 7 12.30.

*EPA. 1983a. Standards of performance for the equipment leaks of VOC in the synthetic organic chemicals manufacturing industry. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 60.489.

*EPA. 1983b. NPDES permit application testing requirements. U.S. Environmental Protection Agency. 40 CFR 122, App D.

*EPA. 1983c. Applicability; description of the metal finishing point source category. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 433.10.

*EPA. 1984a. Application for permit to discharge wastewater: Existing manufacturing, commercial, mining, and silvicultural operations. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 125.

EPA. 1984b. Health effects assessment for ethylbenzene. Cincinnati, OH: U. S. Environmental Protection Agency, Environmental Criteria and Assessment Office. EPA/540/i-86/008.

*EPA. 1984c. Method 602. Guidelines establishing test procedure for the analysis of pollutants under the clean water act; final rule and interim final rule and proposed rule. U. S. Environmental Protection Agency. 40 CFR part 136.

*EPA. 1984d. Method 624. Guidelines establishing test procedure for the analysis of pollutants under the clean water act; final rule and interim final rule and proposed rule. U. S. Environmental Protection Agency. 40 CFR part 136.

*EPA. 1985a. Maximum contaminant level goals. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.50.

*EPA. 1985b. Designation, reportable quantities, and notification. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4

*EPA. 1985c. Drinking water criteria document for ethylbenzene. Prepared by the Office Assessment. EPA-600/X-84- 163- 1.

*EPA. 1985d. Determination of reportable quantities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 117.3.

*EPA. 1986a. General pretreatment regulations for existing and new sources of pollution. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 403, App B.

*EPA. 1986c. Reference values for risk assessment (Final draft). Cincinnati, Ohio: US Environmental Protection Agency, Office of Solid Waste. ECAO-GIN-477

*EPA. 1986d. Test methods for evaluating solid waste SW-846. US Environmental Protection Agency.

*EPA. 1987a. Pretreatment standards for existing sources (PSES). U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.25.

*EPA. 1987b. Pretreatment standards for existing sources (PSES). U.S. Environmental Protection Agency. 40 CFR 414.35.

*EPA. 1987c. US Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264 Appendix IX.

*EPA. 1987d. Pretreatment standards for existing sources (PSES). U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.45.

*EPA. 1987e. Pretreatment standards for existing sources (PSES). U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.55.

EPA. 1987f. Pretreatment standards for existing sources (PSES). U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.65.

EPA. 1987g. Pretreatment standards for existing sources (PSES). U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.75.

EPA. 1987h. Pretreatment standards for existing sources (PSES). U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.85.

*EPA. 1987i. Toxic pollutant effluent limitations and standards for direct discharge point sources that do not use end-of-pipe biological treatment. U.S. Environmental Protection Agency, Code of Federal Regulations. 40 CFR 414.91 and 414.101.

*EPA. 1987j. Applicability of treatment standards. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.40.

*EPA. 1987k. Health advisory for ethylbenzene. Washington, DC: US Environmental Protection Agency, Office of Drinking Water.

*EPA. 1988a. Specific toxic chemical listings. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65.

*EPA. 1988b. Waste specific prohibitions-solvent wastes. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.30.

*EPA. 1988~. Recommendations for and documentation of biological values for use in risk assessment. U. S. Environmental Protection Agency. Report No, 600/6-87/008.

*EPA. 1988d. Health and Safety Data Reporting. U. S. Environmental Protection Agency. Code of Federal Regulations. 40CFR 7 16.120.

*EPA. 1988e. Method TOI-1. Method for the determination of volatile organic compounds in ambient air using tenax adsorption and gas chromatography mass spectrometry. (CC/MS) Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air. 600/4-89/017.

*EPA. 1988f. Method T014-1. Determination of volatile organic compounds (VOCs) in ambient air using SUMMA passivated canister sampling and gas chromatographic analysis. Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air. 600/4-89/017.

*EPA. 1989a. Interim Methods for Development of Inhalation Reference Doses. US Environmental Protection Agency, Office of Health and Environmental Assessment. Washington, DC. EPA 600/8-88/066F.

*EPA. 1989b. US Environmental Protection Agency. Federal Register 54:22062-22160.

*EPA. 1990. Standards of performance for volatile organic compounds (VOC) emissions from synthetic organic chemical manufacturing industry (SOCMI) distillation operation. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 60.667.

*EPA. 1991 a. National primary drinking water regulations. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.61.

*EPA. 1991b. Constituents for detection monitoring. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 258, App 1.

- *EPA. 1991c. List of hazardous inorganic and organic constituents. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 258, App II.
- *EPA. 1991d. Method 502.2. Volatile organic compounds in water by purge and trap capillary column gas chromatography with photoionization and electrolytic conductivity detectors in series. Methods for the determination of organic compounds in drinking water. U. S. Environmental Protection Agency. 600/4-88/039.
- *EPA. 1991e. Method 503.1. Volatile aromatic and unsaturated organic compounds in water by purge and trap gas chromatography. Methods for the determination of organic compounds in drinking water. U. S. Environmental Protection Agency. 600/4-88/039.
- *EPA. 1991f. Method 524.1, Measurement of purgeable organic compounds in water by packed column gas chromatography mass spectrometry. Methods for the determination of organic compounds in drinking water. U. S. Environmental Protection Agency. 600/4-88/039.
- *EPA. 1992. Method 524.2 Measurement of purgeable organic compounds in water by capillary column gas chromatography mass spectrometry. Methods for the determination of organic compounds in drinking water. Supplement II. U. S. Environmental Protection Agency. 600/R-92/129.
- *EPA. 1993a. Standards of performance for volatile organic compounds emissions from synthetic organic chemical manufacturing industry (SOCMI) reactor processes. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 60.707.
- *EPA. 1993b. General pretreatment regulations for existing and new sources of pollution. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 403, App G.
- *EPA. 1993c. Tests methods for pesticide pollutants. U.S. Environmental Protection Agency. Code for Federal Regulations. 40 CFR 455.50.
- *EPA. 1994a. National emissions standards for organic hazardous air pollutants from synthetic organic chemical manufacturing industry. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 63.106.
- *EPA. 1994b. Health effects assessment for ethylbenzene. U.S. Environmental Protection Agency. Code of Federal Regulations. EPA/540/1-86-008.
- *EPA. 1994c. Measurement of reformulated gasoline fuel parameters. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 80.46.
- *EPA. 1994d. Method 8021 A. Halogenated volatiles by gas chromatography using photoionization and electrolytic conductivity detectors in series: Capillary column technique. Method Status Table SW-846, Third Edition, Updates 1, 11,IIA and 11B. U. S. Environmental Protection Agency.
- *EPA. 1994e. Method 8260 A. Volatile organic compounds by gas chromatography mass spectrometry (GCMS): Capillary column technique. Method Status Table SW-846, Third Edition, Updates 1, 11,IIA and 11B. U. S. Environmental Protection Agency.

8. REFERENCES

- *EPA. 1995a. Method 8021B. Halogenated volatiles by gas chromatography using photoionization and electrolytic conductivity detectors in series: Capillary column technique. Method status table SW-846, Third edition, updates I, II, IIA, and 11B. U. S. Environmental Protection Agency.
- *EPA. 1995b. Method 8260B. Volatile organic compounds by gas chromatography mass spectrometry (GC/MS): Capillary column technique. Method status table SW-846, Third edition, updates I, II, IIA, and 11B. U. S. Environmental Protection Agency.
- *EPA. 1995c. Drinking water regulations and health advisor. U.S. Environmental Protection Agency. Office of Water.
- *EPA. 1995d. Toxic Chemical Release Inventory Reporting Form R and Instructions. Section 313 of the Emergency Planning and Community Right-to-Know Act. U. S. Environmental Protection Agency, Office of Pollution Prevention and Toxics. Washington DC.
- *EPA. 1997. Land disposal restrictions: Correction of tables; treatment standards for hazardous wastes and universal treatment standards. Federal Register 62:7502-7600.
- *Etkina EI, Etkina IA. 1995. Chemical mixtures exposure and children's health. *Chemosphere* 31(1):2463-2474.
- *Fang Z, Sonner J, Laster MJ, et al. 1996. Anesthetic and convulsant properties of aromatic compounds and cycloalkanes: implications for mechanisms of narcosis. *Anesth Analg* 83(5):1097-1 104.
- *FEDRIP. 1998. FEDRIP Literature Search (References and Abstracts) for Ethylbenzene. Federal Research in Progress. Dialog Information Service.
- *Fellin P, Otson R. 1994. Assessment of the influence of climatic factors on concentration levels of volatile organic compounds (VOCs) in Canadian homes. *Atmospheric Environment* 28(22):3581-3586.
- *Ferrario JB, Lawler GC, DeLeon IR, et al. 1985. Volatile organic pollutants in biota and sediments of Lake Pontchartrain. *Bull Environ Contam* 34:246-255.
- *Filipovic D, Paulsen MD, Loida PJ, et al. 1992. Ethylbenzene hydroxylation by cytochrome P450cam. *Biochem Biophys Res Commun* 189(1):488-495.
- *Fishbein L. 1985. An overview of environmental and toxicological aspects of aromatic hydrocarbons. IV. Ethylbenzene. *Sci Total Environ* 44:269-287.
- *Florin I, Rutberg L, Curvall M, et al. 1980. Screening of tobacco smoke constituents for mutagenicity using the Ames test. *Toxicology* 18:219-232.
- *Fornan SJ. 1966. Body composition of the infant (Part I: The male reference infant). In: Falkner F, editor. *Human Development* . Philadelphia, PA: WI3 Saunders, 239-246.
- *Foman, SJ, Haschke F, Ziegler EE et al. 1982. Body composition of reference children from birth to age 10 years. *American Journal of Clinical Nutrition* 35:1169-1 175.

8. REFERENCES

- Forrest RG, Worden MH, Perez DR. 1984. A Super-fund removal action with evaluation of safety procedures. Hazardous material spills conference Proceedings. Prevention, Behavior, Control and Cleanup of Spills and Waste Sites., April 9-12, Nashville, TN, 17-23.
- Forziati AF, Norris WR, Rossini FD. 1949. Vapor pressures and boiling points of sixty API-NBS hydrocarbons. J Res Natl Bureau Standards 43:555-563.
- *Fouchecourt MO, Riviere J-L. 1996. Activities of liver and lung cytochrome p450-dependent monooxygenases and antioxidant enzymes in laboratory and wild norway rats exposed to reference and contaminated soils. Toxicology 30(4):513-522.
- *Frantik E, Hornychova M, Horvath M. 1994. Relative acute neurotoxicity of solvents: Isoeffective air concentrations of 48 compounds evaluated in rats and mice. Environ Res 66(2): 173-185.
- *FSTRAC. 1990. Summary of state and federal drinking water standards and guidelines. [Database]. Federal-State Toxicology Regulatory Alliance Committee.
- *FSTRAC. 1995. Summary of state and federal drinking water standards and guidelines. [Database]. Federal-State Toxicology Regulatory Alliance Committee.
- Fujita T, Iwasa J, Hansch C. 1964. A new substituent constant, π , derived from partition coefficients. J Amer Chem Soc 86:5 175-5 180.
- *Fukuda M, Nishi T, Igarashi M, et al. 1989. Degradation of ethylbenzene by pseudomonas putida harboring OCT plasmid. Agric Biol Chem 53(12):3293-3299.
- Furnas DW, Hine CH. 1958. Neurotoxicity of some selected hydrocarbons. Arch Ind Health 18:9-U.
- Fusillo TV, Hochreiter JJ J, Lord DG. 1985. Distribution of volatile organic compounds in a New Jersey coastal plain aquifer system. Groundwater 23:354-360.
- *Fustinoni S, Buratti M, Giampiccolo R. 1995. Biological and environmental monitoring of exposure to airborne benzene and other aromatic hydrocarbons in Milan traffic wardens. Lett 77(1-3):387-392.
- *Fustinoni S, Buratti M, Giampiccolo R, et al. 1996. Biological monitoring of airborne aromatic hydrocarbon exposure: A gas chromatographic procedure for the determination of benzene, toluene, ethylbenzene and xylenes in blood and urine. Med Lav 87(1):63-75.
- Gamberale F, Annwall G, Hultengren M. 1978. Exposure to xylene and ethylbenzene. III. Effects on central nervous function. Stand J Work Environ Health 4:204-211.
- Gerarde HW. 1959. Toxicological studies on hydrocarbons. III. The biochemorphology of the phenylalkanes and phenylalkenes. AMA Arch Ind Health19:403-4 18.
- *Gerarde HW. 1963. Toxicological studies on hydrocarbons: IX. The aspiration hazard and toxicity of hydrocarbons and hydrocarbon mixtures. Arch Env Health 6:329-341.

Gerarde HW, Linden NJ. 1956. Toxicological studies on hydrocabons. II. A comparative study of the effect of benzene and certain mono-n-alkylbenzenes on hemopoiesis and bone marrow metabolism in rats. *AMA Arch Ind Health* 13:468-474.

Gershbein LL. 1975. Liver regeneration as influenced by the structure of aromatic and heterocyclic compounds. *Res Commun Chem Pathol Pharmacol* 11:445-466.

*Gibson DP, Brauninger R, Shaffi HS, et al. 1997. Induction of micronuclei in Syrian hamster embryo cells: comparison to results in the SHE cell transformation assay for national toxicology program test chemicals. *Mutation Research* 392(1-2):61-70.

Gibson DT. 1977. Biodegradation of aromatic petroleum hydrocarbons. In: Wolfe DA, ed. Fate and effects of petroleum hydrocarbons in marine organism and ecosystems. Vol. 4, New York, NY, 36-46.

*Gibson DT, Geschwendt B, Yeh WK, et al. 1973. Initial reactions in the oxidation of ethylbenzene by *Pseudomonas putida*. *Biochemistry* 12:1520-1528.

Gibson DT, Koch JR, Kallio RE. 1968. Oxidative degradation of aromatic hydrocarbons by microorganisms. I. Enzymatic formation of catechol from benzene. *Biochemistry* 7:2653-2662.

Giger W, Schaffner C. 1981. Groundwater pollution by volatile chemicals. *Stud Environ Sci* 17 (Qual. Groundwater): 17-522.

*Gillette JR, Mitchell JR, Brodie BB. 1974. Biochemical mechanisms of drug toxicity. *Ann Rev Pharmacol* 14:271-288.

*Goldberg MS, Al-Homsi N, Goulet L, et al. 1995. Incidence of cancer among persons living near municipal solid waste landfill site in Montreal, Quebec. *Archives of Environmental Health* 50(6):416-424.

*Goldfrank LR, Flomenbaum NE, Lewin NE, et al. 1994. Hydrocarbons. In: Toxicologic emergencies. 5th edition, 1231-1244.

*Gorna-Binkul A, Keymeulen R, Van Langenhove H, et al. 1996. Determination of monocyclic aromatic hydrocarbons in fruit and vegetables by gas chromatography-mass spectrometry. *J Chromatogr A* 734(2):297-302.

*Gossel TA, Bricker JD. 1994. Principles of clinical toxicology. 3rd edition, Raven Press, 124-126.

Gossett RW, Brown DA, Young DR. 1983. Predicting the bioaccumulation of organic compounds in marine organism using octanol/water partition coefficients. *Mar Pollut Bull* 14:387-392.

*Gramshaw JW, Vandenburg HJ. 1995. Compositional analysis of samples of thermoset polyester and migration of ethylbenzene and styrene from thermoset polyester into pork during cooking. *Food Add Contam* 12(2):223-234.

Grant WM. 1986. Toxicology of the eye. In: Thomas CC, 3rd ed. Springfield, IL. 413.

- *Greiner JW, Kramer RE, Robinson DA, et al. 1976. Interaction of aromatic hydrocarbons and drugs with adrenal microsomal cytochrome P-450 in the guineapig. *Biochem Pharmacol* 25:95 1-955.
- Grigor'eva KV, Klyuzko AS. 197 1. Studies of the metabolite of styrene and ethylbenzene in urine. *Hyg Sanit* 36:136-137.
- Grob K, Grob G. 197 1. Gas-liquid chromatographic-mass spectrometric investigation of C6-C20 organic compounds in an urban atmosphere. An application of ultra trace analysis on capillary columns. *J Chromatogr* 62:1-13.
- *Gromiec JP, Piotrowski JK. 1984. Urinary mandelic-acid as an exposure test for ethylbenzene. *Int Arch Occup Environ Health* 55:61-72.
- *Grosjean D, Fung K. 1984. Hydrocarbons and carbonyls in Los Angeles air. *J Air Pollut Control Assoc* 34:537-543.
- *Grovenstein E Jr, Mosher AJ. 1970. Reaction of atomic oxygen with aromatic hydrocarbons [Letter]. *J Amer Chem Soc* 92:3810-3812.
- *Gschwend PM, Zafilou OC, Mantoura RFC, et al. 1982. Volatile organic compounds at a coastal site. 1. Seasonal variations. *Environ Sci Technol* 16:31-38.
- *Gut IY, Terelius E, Frantik I, et al. 1993. Exposure to Various Benzene Derivatives Differently Induces Cytochromes P450 2B1 and P450 2E1 in Rat Liver. *Arch* 67(4):237-243.
- *Guy RH, Maibach HI. 1984. Correction factors for determining body exposure from forearm percutaneous absorption data. *J Appl* 4(1):26-28.
- *Guzelian PS, Henry CJ, Olin SS. 1992. Similarities and differences between children and adults: Implications for risk assessment. Washington, DC: International Life Sciences Institute Press.
- *Hagemann J. 1979. Cancer risks at work. In "Colloquium on Occupational Medicine, "19th annual conference of the German Occupational Medicine Society.
- *Hajimiragha H, Ewers U, Brockhaus A, et al. 1989. Levels of benzene and other volatile aromatic compounds in the blood of non-smokers and smokers. *Int Arch Occup Environ Health* 61(8):513-518.
- *Hallbourg RR, Delfino JJ, Miller WL. 1992. Organic priority pollutants in groundwater and surface water at three landfills in north central Florida. *Water, Air, and Soil Pollution* 65:307-322.
- *Hampton CV, Pierson WR, Schuetzle D, et al. 1983. Hydrocarbon gases emitted from vehicles on the road. 2. Determination of emission rates from diesel and spark-ignition vehicles. *Environ Sci Technol* 17:699-708.
- Hannah SA, Austem BM, Eralp AE, et al. 1986. Comparative removal of toxic pollutants by six wastewater treatment processes. *J Water Pollut Control Fed* 58:27-34.

- *Hansch C, Leo A. 1979. Substituent constants for correlation analysis in chemistry and biology. New York, NY: John Wiley & Sons, 232. As cited in HSDB 1988.
- Hansch C, Leo A, Nikaitani D. 1972. On the additive-constitutive character of partition coefficients. *J Org Chem* 37:3090-3092.
- Hansch C, Quinlan JE, Lawrence GL. 1968. The linear-free energy relationship between partition coefficients and the aqueous solubility of organic liquids. *J Org Chem* 33:347-350.
- *Hansen LF, Nielsen GD. 1994. Sensory irritation effects of n-propanol and ethylbenzene after pretreatment with capsaicin or indomethacin. *Pharmacol* 75(3-4):154-161.
- Hardin BD, Bond GP, Sikov MR, et al. 1981. Testing of selected workplace chemicals for teratogenic potential. *Stand J Work Environ Health* 7 (Suppl.4):66-75.
- Harkonen H, Lindstrom K, Seppalainen AM, et al. 1978. Exposure-response relationship between styrene exposure and central nervous functions. *Stand J Work Environ Health* 4:53-59.
- Harkov R, Kebbekus B, Bozzelli JW. 1987. Volatile organic compounds at urban sites in New Jersey. In: Lioy, Daisey, eds. *Toxic Air Pollut.* Chelsea, MI: Lewis Pub. Inc, 69-90. Hartwell TD, Crowder JH, Sheldon LS, et al. 1985. Levels of volatile organics in indoor air. *Proc-APCA Annu. Meet* 78th., 1-12.
- *Harkov R, Kebbekus B, Bozzelli JW, et al. 1983. Measurement of selected volatile organic compounds at three locations in New Jersey during the summer season. *J Air Pollut Control Assoc* 33:1177-1183.
- Harkov R, Kebbekus B, Bozzelli JW, et al. 1984. Comparison of selected volatile organic compounds during the summer and winter at urban sites in New Jersey. *Sci Tot Env* 38:259-274.
- Hawthorne AR, Gammage RB, Dudley CS, et al. 1983. Preliminary results of a forty-home indoor air pollutants monitoring study. *Spec. Conf. Meas. Monit. Non-Criter (Toxic) Contam. Air.* Pittsburgh, PA: APCA., 514-526.
- *HazDat. 1998. Database. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA.
- *Heisehnan DE, Cannon LA. 1990. Benzene and the aromatic hydrocarbons. In: Haddad LM, Winchester JF eds. *Clinical management of poisoning and drug overdose.* 2nd edition, 1222-1232.
- *Helm CT. 1990. Written communication (August 14) to Yee-Wan Stevens, Agency for Toxic Substances and Disease Registry, regarding workplace exposure levels of ethylbenzene. Synthetic Organic Chemical Manufacturers Association, Inc., Washington, D.C.
- *Herron JT, Huie RE. 1973. Rate constants for the reactions of atomic oxygen(O³P) with organic compounds in the gas phase. *J Phys Chem Ref Data* 2:467-518.
- *Hester NE, Meyer RA. 1979. A sensitive technique for measurement of benzene and alkylbenzenes in air. *Environ Sci Technol* 13:107-109.

- *Hiatt MH. 1981. Analysis of fish and sediment for volatile priority pollutants. *Anal Chem* 53:1541-1543.
- *Hiatt MH. 1983. Determination of volatile organic compounds in fish samples by vacuum distillation and fused silica capillary gas chromatography-mass spectrometry. *Anal Chem* 55:506-516.
- Higgins IJ, Best DJ, Scott D. 1981. Hydrocarbon oxidation by *Methylosinus trichosporium*: Metabolic implications of the lack of specificity of methane monooxygenase. *Microb. Growth C1 Compd, Proc. Int. Symp* 3., 11-20.
- *Hodgson AT, Daisey JM, Grot RA. 1991. Sources and source strengths of volatile organic compounds in a new office building. *J Air Waste Manage Assoc* 41(11):1461-1468.
- Hodgson AT, Daisey JM, Mahanama KRR, et al. 1996. Use of volatile tracers to determine the contribution of environmental tobacco smoke to concentrations of volatile organic compounds in smoking environment. *Environ Inter* 22(3):295-307.
- *Hodgson AT, Garbesi K, Sextro RG, et al. 1992. Soil-gas contamination and entry volatile organic compounds into a house near a landfill. *J Air Waste Manage Assoc* 42(3):277-283.
- *Hodson J, Williams NA. 1988. The estimation of the adsorption coefficient (K_{oc}) for soils by high performance liquid chromatography. *Chemosphere* 17:67-77.
- Holmberg B, Jakobson I, Malmfors T. 1974. The effect of organic solvents on erythrocytes during hypotonic hemolysis. *Environ Res* 7: 193-205.
- Holmberg B, Malmfors T. 1974. The cytotoxicity of some organic solvents. *Environ Res* 7:183-192.
- *Holz O, Scherer G, Brodtmeier S, et al. 1995. Determination of low level exposure to volatile aromatic hydrocarbons and genotoxic effects in workers at a styrene plant. *Environ Med* 52(6):420-428.
- *Hong HL, Yang RSH, Boorman GA. 1991. Residual damage to hematopoietic system in mice exposed to a mixture of groundwater contaminants. *Lett* 57(1):101-112.
- *Hoshino M, Akimoto H, Okuda M. 1978. Photochemical oxidation of benzene, toluene, and ethylbenzene initiated by hydroxyl radicals in the gas phase. *Bull Chem Soc Jpn* 51:718-724.
- *HSDB. 1995. Hazardous Substances Databank. National Library of Medicine, National Toxicology Information Program Bethesda, MD. December 19, 1994.
- *HSDB. 1998. Hazardous Substances Databank. National Library of Medicine, National Toxicology Information Program, Bethesda, MD. December 9, 1997.
- *Hung I-F, Lee S-A, Chen R-K. 1998. Simultaneous determination of benzene, toluene, ethylbenzene, and xylenes in urine by thermal desorption-gas chromatography. *Journal of Chromatography B* 706(2):352-357.

8. REFERENCES

- *Hutchins SR. 1991. Optimizing BTEX biodegradation under denitrifying conditions. *Environmental Chem* 10:1437-1448.
- Hutchinson TC, Hellebust JA, Tam D, et al. 1980. The correlation of the toxicity to algae of hydrocarbons and halogenated hydrocarbons with their physical-chemical properties. In: Afghan BK, MacDay D, eds. *Hydrocarbon halo. hydrocarbon aquatic environ*. New York, NY: Plenum Press, 577-586.
- Huyskens PL, Tack JJ. 1975. Specific interactions of phenols with water. *J Phys Chem* 79:1654-1658.
- Imamura K, Fuji T. 1979. [Rapid determination of toluene, ethylbenzene, and xylene isomers at ppb level in ambient air by mass fragmentography]. *Bunseki Kagaku* 28:549-554. (Japanese).
- *Imaoka S, Funae Y. 1991. Induction of cytochrome P450 isozymes in rat liver by methyl n-alkyl ketones and n-alkylbenzenes. Effects of hydrophobicity of inducers on inducibility of cytochrome *Biochem Pharmacol* 450(42):143-150.
- Institute of Environmental Medicine. 1985. Analysis of benzene and other volatile organic compound data obtained in the project on airborne toxic elements and organic species. Submitted to the US EPA/OTS Public Files. FYI-AX- 1185-032 1.
- Ioffe BV, Isidprov VA, Zenkevich IG. 1979. Certain regularities in the composition of volatile organic pollutants in the urban atmosphere. *Environ Sci Technol* 13:864-868.
- *IRIS. 1996. Integrated Risk Information System [Database]. US Environmental Protection Agency, Washington, DC.
- *Ivanov SV. 1962. [Toxicology of ethylbenzene.] *Tr Voronezh Gos Med Inst* 47:80-82. (Russian).
- Ivanov SV. 1964. [Materials on toxicity and hygienic rating ethylbenzol content in the atmosphere of industrial premises]. *Gig Tr Prof Zabol* 8:9-14. (Russian).
- *Jamison VW, Raymond RL, Hudson JO. 1970. Hydrocarbon cooxidation by *Nocardia corallina* strain V-49. *Develop Ind Microbial* 12:99-105.
- *Jay K, Steiglitz L. 1995. Identification and quantification of volatile organic components in emissions of waste incineration plants. *Chemosphere* 30(7): 1249- 1260.
- *Johanson CE. 1980. Permeability and vascularity of the developing brain: Cerebellum vs cerebral cortex. *Brain Research* 190:3- 16.
- *Johanson G, Filser JG. 1992. Experimental data from closed chamber gas uptake studies in rodents suggest lower uptake rate of chemical than calculated from literature values on alveolar ventilation. *Arch* 66(4):291-295.

Johnson D, Billick I, Moschandreas D, et al. 1984. Emission rates from unvented gas appliances. *Indoor Air*. Volume 4. Chemical characterization and personal exposure. Proceedings of the International Conference (3rd) on Indoor Air Quality and Climate Held in Stockholm on August 20-24, 1984. NTISPB85104-214,367-374.

Johnstone RAW, Quan PM, Carruthers W. 1962. Composition of cigarette smoke: Some low-boiling components. *Nature* 195:1267-1269.

*Jonsson A, Persson KA, Grigoriadis V. 1985. Measurements of some low molecular-weight oxygenated, aromatic, and chlorinated hydrocarbons in ambient air and in vehicle emissions. *Environ Int* 11:383-392.

*Junk GA, Ford CS. 1980. A review of organic emissions from selected combustion processes. *Chemosphere* 9: 187-230.

Juttner F. 1986. Analysis of organic compounds (VOC) in the forest' air of southern Black Forest. *Chemosphere* 15:985-992.

*Kango RY, Quinn JG. 1989. Adsorption studies of xylenes and ethylbenzene on soil and humic acid by a purge and trap gas chromatographic method. *Chemosphere* 19(8/9):1269-1276.

Kappeler T, Wuhrmann K. 1978. Microbial degradation of the water soluble fraction of gas oil. I. *Water Res* 12:327-333.

*Karasek FW, Charbonneau GM, Reuel GJ, et al. 1987. Determination of organic compounds leached from municipal incinerator fly ash by water at different pH levels. *Anal Chem* 59: 1027-1031.

*Katzman H, Libby WF. 1975. Hydrocarbon emissions from jet engines operated at simulated high altitude supersonic flight conditions. *Atmos Environ* 9:839-842.

*Kaubisch N, Daly JW, Jerina DM. 1972. Arene oxides as intermediate in the oxidative metabolism of aromatic compounds. Isomerization of methyl-substituted arene oxides. *Biochemistry* 11:3080-3088.

*Kawai T, Mizunuma K, Yasugi T, et al. 1991. Urinary methylhippuric acid isomer levels after occupational exposure to a xylene mixture. *Int Arch Occup Environ Health* 63(1):69-75.

*Kawai T, Yasugi T, Mizunuma K, et al. 1992. Comparative evaluation of urinalysis and blood analysis as means of detecting exposure to organic solvents at low concentrations. *Int Arch Occup Environ Health* 64(4):223-234.

*Kawamura K, Kaplan IR. 1983. Organic compounds in the rainwater of Los Angeles. *Environ Sci Tech* 17:497-501.

Kelley RD. 1985. Synthetic organic compound sampling survey of public water supplies. Des Moines, IA: Iowa Department of Water, Air and Waste Management. NTIS PB85-214427/AS., 38.

*Kelly TJ, Mukund R, Spicer CW, et al. 1994. Concentrations and transformations of hazardous air pollutants. *Environ Sci Technol* 28(8):378-387.

- *Keymeulen R, Van Langenhove H, Schamp N. 1991. Determination of monocyclic aromatic hydrocarbons in plant cuticles by gas chromatography-mass spectrometry. *J Chromatogr* 541:83-88.
- *Kiese M, Lenk W. 1974. Hydroxyacetophenones: Urinary metabolites of ethylbenzene and acetophenone. *Xenobiotica* 4:337-343.
- *Kinlin TE, Muraldihara R, Pittet AO, et al. 1972. Volatile components of roasted filberts. *J Agric Food Chem* 20:1021. As cited in EPA 1980.
- *Kitto AM, Pirbazari M, Badriyha BN, Ravindran V, Tyner R, Synolakis CE. 1997. Emissions of volatile and semi-volatile organic compounds and particulate matter from hot asphalts. *Environmental Technology* 18(2):121-138.
- *Knox RC, Canter LW. 1994. Prioritization of ground water contaminants and sources. School of Civil Engineering and Environmental Science, University of Oklahoma, Norman, Oklahoma USA, George Lynn Cross Research Professor, Sun Company Professor of Ground Water Hydrology and Director, Environment and Ground Water Institute, University of Oklahoma, USA.
- *Komori M, Nishio K, Kitada M et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human livers. *Biochemistry* 29:4430-4433.
- Kool HJ, Van Kreijl CF, Zoeteman BCJ. 1982. Toxicology assessment of organic compounds in drinking water. *Crit Rev Env Control* 12:307-357.
- Kopfler FC, Melton GG, Mullaney JL, et al. 1977. Human exposure to water pollutants. *Adv Environ Sci Technol* 8:419-433.
- *Karen HS, Devlin RB. 1992. Human upper respiratory tract responses to inhaled pollutants with emphasis on nasal lavage. *Ann New York Acad Sci* 641:215-224.
- *Kostiainen R. 1994. Volatile organic compounds in the indoor air of normal and sick houses. *Atmos Environ* 29(6):693-702.
- *Krill RM, Sonzogni WC. 1986. Chemical monitoring of Wisconsin's groundwater. *J Am Water Works Assoc* 78:70-75.
- *Krishnan K, Andersen ME. 1994. Physiologically-based pharmacokinetic modeling in toxicology. In: *Principles and Methods of Toxicology*. 3rd edition, Wallace Hayes, ed. Raven Press, Ltd. New York, NY.
- *Krishnan K, Andersen ME, Clewell HJ III, et al. 1994. Physiologically-based pharmacokinetic modeling of chemical mixtures. In: RSA Yang, ed. *Toxicology of chemical mixtures*. New York, NY: Academic Press.
- Krost KJ, Pellizzari ED, Walburn SG, et al. 1982. Collection and analysis of hazardous organic emissions. *Anal Chem* 54:810-817.
- Krotoszynski BK, Bruneau GM, O'Neill HJ. 1979. Measurement of chemical inhalation exposure in urban population in the presence of endogenous effluents. *J Anal* 3:225-234.

8. REFERENCES

- *Kumagai S, Matsunaga I. 1992. Fluctuations of occupational exposure indices to mixtures. *Annals Occup Hyg* 36(2):131-143.
- *Kumagai S, Matsunaga I. 1995. Models describing variation of short-term exposure levels of two chemicals. *Annals Occup Hyg* 39(1):7-20.
- Lambotte-Vandepaer M, Duverger-Van Bogaert M, De Meester C, et al. 1979. Styrene induced modifications of some rat liver enzymes involved in the activation and inactivation of xenobiotics. *Biochem Pharmacol* 28:1653-1660.
- LaRegina J, Bozzelli JW, Harkov R, et al. 1986. Volatile organic compounds at hazardous waste sites and a sanitary landfill. *Environ Prog* 5: 18-27.
- *Lawryk NJ, Lioy PJ, Weisel CP. 1995. Exposure to volatile organic compounds in the passenger compartment of automobiles during periods of normal and malfunctioning operation. *J Expo Anal Environ Epidemiol* 5(4):511-531.
- *Lawryk NJ, Weisel CP. 1996. Concentration of volatile organic compounds in the passenger compartments of automobiles. *Environ Sci Technol* 30:810-816.
- *Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. *Pediatric Clinics of North America* 44:55-77.
- Lehmann E, Gmehling J, Weidlich U. 1986. Survey on organic solvents in various products and methods for estimating workplace exposures. *Prog Clin Biol Res* 220:31-41.
- *Lesage S. 1993. Methods for the analysis of hazardous wastes. *J Chromatogr* 642:65-74.
- *Leung H. 1993. Physiologically-based pharmacokinetic modelling. In: Ballantine B, Marro T, Turner T, eds. *General and Applied Toxicology*. Vol. 1. New York, NY: Stockton Press, 153-164.
- *Lide DR. 1994. *CRC Handbook of chemistry and physics*. 74th edition. Boca Raton, Ann Arbor, London, Tokyo: CRC Press.
- *Ligocki MP, Leuenberger C, Pankow JF. 1985. Trace organic compounds in rain-II. Gas scavenging of neutral organic compounds. *Atmos Environ* 19: 1609- 16 17.
- *Lillo RS, Morris JW, Caldwell JM, et al. 1990. Atmosphere contamination following repainting of a human hyperbaric chamber complex. *Undersea Biomed Res* 17(5):437-449.
- Litton Bionetics Inc. 1978. Teratology study in rats: Xylene: Final report. Submitted to the US EPA/OTS Public Files. 878210350.
- Lloyd AC, Damall KR, Winer AM, et al. 1976. Relative rate constants for reaction of the hydroxyl radical with a series. *J Phys Chem* 80:789-794.
- *Lofgren L, Persson K, Stromvall A-M. 1991. Exposure of commuters to volatile aromatic hydrocarbons from petrol exhaust. *Sci Total Environ* 108(3):225-233.

- Logemann W, Giradli P, Gagliardo E, et al. 1964. [Presence of mandelic acid and hippuric acid in the urine of individuals given (oral) ethylbenzene]. Hoppe-Seylers Z Physiol Chem 337:48-49. (German).
- Lonneman WA, Bellar TA, Altshuller AP. 1968. Aromatic hydrocarbons in the atmosphere of the Los Angeles basin. Environ Sci Technol 2: 1017- 1020.
- *Lovegren NV, Fisher GS, Legendre MG, et al. 1979. Volatile constituents of dried legumes. J Agric Food Chem 27:851-853.
- Lowry LK. 1986. Biological exposure index as a complement to the TLV. J Occup Med 28:578-582.
- *Lyman WJ, Reehl WF, Rosenblatt DH. 1982. Handbook of chemical property estimation methods. New York, NY: McGraw-Hill Book Company, 15-25.
- *Mabey WR, Smith JH, Podol RT, et al. 1982. Aquatic fate process data for organic priority pollutants. Report by SRI International, Menlo Park, CA, to US Environmental Protection Agency, Office of Water Regulations and Standards, Monitoring and Data Support Division, Washington, DC. EPA 440/4-81-014.
- MacIntyre WG, Smith CL, Defur PO, et al. 1981. Hydrocarbon fuel chemistry: Sediment water interaction. Report to Air Force Engineering and Service Laboratory, Air Force Engineering and Services Center, Tyndall Air Force Base, Florida, by Virginia Institute of Marine Science, Gloucester Point, VA. AFESC/ESL-TR-82-06 (NTIS AD-A1 17928), 53.
- *Mackay D. 1979. Finding fugacity feasible. Environ Sci Technol 13:1218-1223
- Mackay D, Bobra A, Chan DW, et al. 1982. Vapor pressure correlations for low-volatility environmental chemicals. Environ Sci Technol 16:645-649.
- Mackay D, Bobra A, Shiu WY, et al. 1980. Relationships between aqueous solubility and octanol-water partition coefficients. Chemosphere 9:701-711.
- *Mackay D, Shiu WY. 1981. A critical review of Henry's law constants for chemicals of environmental interest. J Phys Chem Ref Data 10:1175-1199.
- *Mackay D, Shiu WY, Sutherland RP. 1979. Determination of air-water Henry's law constants for hydrophobic pollutants. Environ Sci Technol 13:333-337.
- *Mackison FW, Stricoff RS, Partridge LJ Jr, ed. 1978. Occupational health guidelines for chemical hazards. Vol. 3, Washington, D.C: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, U.S. Department of Labor, Occupational Safety and Health Administration.
- Maier A, Ruhe R, Rosensteel R, et al. 1974. Health hazard evaluation/toxicity determination report no. 72-90-107. ARC0 Polymer Incorporated, Monaca, Pennsylvania. Rockville, MD: National Institute for Occupational Safety and Health. NTIS Publ. No. PB-232-729/A03.
- Malaney GW, McKinney RE. 1966. Oxidative abilities of benzene-acclimated activated sludge. Water Sewage Works 113:302-309.

*Maltoni C, Ciliberti A, Pinto C, et al. 1997. Results of long-term experimental carcinogenicity studies of the effects of gasoline, correlated fuels, and major gasoline aromatics on rats. *Annals New York Academy of Sciences* 837:15-52.

*Maltoni C, Conti B, Cotti G, et al. 1985. Experimental studies on benzene carcinogenicity at the Bologna Institute of Oncology: Current results and ongoing research. *Am J Ind Med* 7:415-446.

Malyarova LK, Nesterova NE. 1972. Determination of aromatic compounds (benzene and its homologues) in the air. *Gig Tr Prof Zabol* 1658-59.

Marks TA, Ledoux TA, Moore JA. 1982. Teratogenicity of a commercial xylene mixture in the mouse. *J Environ Health* 9:97- 105.

*Martin P, Heavner DL, Nelson PR, et al. 1997. Environmental tobacco smoke (ets): a market cigarette study. *Environment International* 23(1):75-90.

*Masten LW, Boeri RL, Walker JD. 1994. Strategies employed to determine the acute aquatic toxicity of Ethylbenzene, a highly volatile, poorly water-soluble chemical. *Ecotoxicol Environ Safety* 27:335-348.

*Matsumoto T, Koga M, Sata T, et al. 1992. The changes of gasoline compounds in blood in a case of gasoline intoxication. *J Clin* 30(4):653-662.

Mayer S, Cook R, Mattler M. 1983. Evaluation of potential employee exposures while molding ignition resistant polystyrene. *J Cell Plast* 19:227-236.

*Maylin GA, Cooper MJ, Anders MW. 1973. Effect of phenobarbital treatment on the stereochemistry of the in vitro metabolism of ethylbenzene. *J Med Chem* 16:606-610.

*Mayrsohn H, Kuramoto M, Crabtree H, et al. 1978. Hydrocarbon composition of Los Angeles gasolines. California State Air Resources Board, El Monte, CA. As cited in NAS 1980.

McAuliffe C. 1963. Solubility in water of Cl-C9 hydrocarbons. *Nature* 200:1092-1093.

McAuliffe C. 1966. Solubility in water of paraffin, cycloparaffin, olefin, acetylene, cycloolefin and aromatic hydrocarbons. *J Phys Chem* 70: 1267- 1275.

*McClenny WA, Fortune CR. 1995. Superfund contract laboratory program method evaluation--ambient air volatile organic compounds from canisters. *J Environ Sci Health A* 30(4):901-919.

*McGregor DB, Brown A, Cattnach P, et al. 1988. Responses of the L5178Y tk+/tk- mouse lymphoma cell forward mutation assay: III. 72 Coded chemicals. *Environ Mol Mutag* 12:85-154.

*McMahon RE, Sullivan HR. 1966. Microsomal hydroxylation of ethylbenzene. Stereospecificity and the effect. *Life Sci* 5:921-926.

*McMahon RE, Sullivan HR, Craig JC, et al. 1969. The microsomal oxygenation of ethylbenzene: Isotopic, stereochemical, and induction studies. *Arch Biochem Biophys* 132:575-577.

- *MDEQE. 1989. Written communication regarding Massachusetts guidelines for ethylbenzene. Boston, Mass: Department of Environmental Quality Engineering, Office of Research and Standards (May 8).
- *Merck. 1989. Merck index:: An encyclopedia of chemicals, drugs, and biologicals. 11th ed Budavari S, ed. Rahway NJ: Merck & Co., Inc.
- *Michael LC, Erickson MD, Parks SP. 1980. Volatile environmental pollutants in biological atrices with a headspace purge technique. *Anal Chem* 52: 1836- 1841.
- *Mickiewicz W, Rzezzycki W. 1988. Effect of styrene and other alkyl benzene derivatives on oxidation of FAD- and NAD-linked substrates in rat liver mitochondria. *Biochemi Pharmacol* 37(23):4439-4444.
- Mill T. 1982. Hydrolysis and oxidation processes in the environment. *Environ Chem* 1:135-141.
- Miller RL, Ettre LS, Johansen NG. 1983a. Quantitative analysis of hydrocarbons by structural group type in gasolines and distillates. II. Liquid chromatography. *J Chromatogr* 259:393-412.
- Miller RL, Ettre LS, Johansen NG. 1983b. Quantitative analysis of hydrocarbons by structural group type in gasolines and distillates. III. Combined use of liquid and gas chromatography. *J Chromatogr* 264:19-32.
- *Minoia C, Meroni G, Aprea C, et al. 1996. Environmental and urinary reference values as markers of exposure to hydrocarbons in urban areas. *Sci Total Environ* 192(2): 163-82.
- Miyake K, Kitaura F, Mizuno N, et al. 1987. Determination of partition coefficient and acid dissociation constant by high-performance liquid chromatography on porous polymer gel as a stationary phase. *Chem Pharmacol* 35:377-388.
- Mohtashamipur E, Norpoth K. 1987. Chromosome damaging of alkylated and halogenated benzenes on bone marrow of mice [Abstract]. Eighteenth Annual Meeting of the Environmental Mutagen Society, San Francisco, California, USA, April 8-12, 1987 9:75.
- *Mohtashamipur E, Norpoth K, Woelke U, et al. 1985. Effects of ethylbenzene, toluene, and xylene on the induction of micronuclei in bone marrow polychromatic erythrocytes of mice. *Arch* 58: 106-109.
- *Molnar J, Paksy KA, Naray M. 1986. Changes in the rat's motor behaviour during 4-l-n inhalation exposure to pre-narcotic concentrations of benzene and its derivatives. *Acta Physiol Hung* 67:349-354.
- *Morgan DL, Cooper SW, Carlock DL, et al. 1991. Dermal absorption of neat and aqueous volatile organic chemicals in the Fischer 344 rat. *Environ Res* 55(1):5 1-63.
- *Morsehi PL, France-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants. *Clinical Pharmacokinetics* 5:485-527.
- *Moscato G, Biscaldi G, Cottica D, et al. 1987. Occupational asthma due to styrene: Two case reports. *J Occup Med* 29:957-960.

8. REFERENCES

- *Mukerjee S, Ellenson WD, Lewis RG, Stevens RK, Somerville MC, Shadwick DS, Willis RD. 1997. An environmental scoping study in the Lower Rio Grande Valley of Texas: III. Residential microenvironmental monitoring for air, house dust, and soil. *Environment International* 23(5):657-673.
- *Mukund R Kelly TJ, Spicer CW. 1996. Source attribution of ambient air toxic and other vocs in columbus, Ohio. *Atmospheric Environment* 30(20):3457-3470.
- *Murray DAJ, Lockhart WL. 1981. Microextraction and gas chromatographic analysis of selected petroleum hydrocarbons in water and fish tissue. *J Chromatogr* 212:305-3 11.
- *Mutti A, Falzoi H, Romanelli A, et al. 1988. Brain dopamine as a target for solvent toxicity: Effects of some monocyclic aromatic hydrocarbons. *Toxicology*. 49:77-82.
- Mutti A, Franchini I. 1987. Toxicity of metabolites to dopaminergic systems and the behavioural effects. *Br J Ind Med* 44:721-723.
- *Nakajima T, Sato A. 1979. Enhanced activity of liver drug-metabolizing enzymes for aromatic and chlorinated hydrocarbons following food deprivation. *Appl Pharmacol* 50:549-556.
- Narnkung E, Rittmann BE. 1987. Estimating volatile organic compound emissions from publicly owned treatment works. *J Water Pollut Control Fed* 59:670-678.
- *NAS. 1980. The alkyl benzenes. Committee on Alkyl Benzene Derivatives, Board on Toxicology and Environmental Health Hazards, Assembly of Life Sciences, National Research Council. Washington, DC: National Academy Press.
- *NAS/NRC. 1989. Biological markers in reproductive toxicology. National Research Council. Board of Environmental Studies and Toxicology. Committee on Biological Markers, pp. 15-35.
- *Naskali L, Engelke M, Tahti H, et al. 1993. The effects of selected organic solvents on rat synaptosomal membrane fluidity and integral enzyme activities. *Neurosci Res Commun* 13(1):27-35.
- *Naskali L, Oksanen H, Tahti H. 1994. Astrocytes as targets for CNS effects of organic solvents in vitro. *Neurotoxicology*. 15(3):609-612.
- *NATICH. 1992. National air toxics information clearinghouse: NATICH data base report on state, local and EPA air toxics activities. US Environmental Protection Agency, Office of Air Quality Planing and Standards, Emissions Standards Division, Research Triangle Park, NC. EPA 453/R-92-008.
- *Nestmann ER, Lee EG-H. 1983. Mutagenicity of constituents of pulp and papermill effluent in growing cells of *Saccharomyces cerevisiae*. *Mutat Res* 119:273-280.
- *Nestmann ER, Lee EG-H, Matula TI, et al. 1980. Mutagenicity of constituents identified in pulp and paper mill effluents using the Salmonella/mammalian-microsome assay. *Mutat Res* 79:203-212.
- *NFPA. 1994. Fire protection guide to hazardous materials. National Fire Protection Association. One Batterymarch Park, Quincy, MA.

Nicholson WJ, Tarr D. 1984. Occupational hazards in production and processing of styrene polymers - epidemiologic findings. *Industrial Hazards of Plastics and Synthetic Elastomers*. New York, NY: Alan R. Liss, Inc., 263-277.

*Nicola RM, Branchflower R, Pierce D. 1987. Chemical contaminants in bottomfish. *J Environ Health* 49:342-347.

*Nielsen GD, Alarie Y. 1982. Sensory irritation, pulmonary irritation, and respiratory stimulation by airborne benzene and alkylbenzenes: Prediction of safe industrial exposure levels and correlation with their thermodynamic properties. *Appl Pharmacol* 65:459-477.

Niemi GJ, Veith GD, Regal RR, et al. 1987. Structural features associated with degradable and persistent chemicals. *Environ Chem* 6:5 15-527.

*NIOSH. 1984. NIOSH manual of analytical methods. Washington, DC: US Department of Health, Education, and Welfare, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health.

*NIOSH. 199 1. Recommendations for Occupational Safety and Health. Compendium of policy documents and statements. Division of Standards Development and Technology Transfer, National Institute for Occupational Safety and Health Center for Disease Control, Public Health Service. U.S. Department of Health and Human Services.

*NIOSH. 1994a. NIOSH manual of analytical methods. Washington, DC: US Department of Health, Education, and Welfare, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health.

*NIOSH. 1994b. NIOSH pocket guide to chemical hazards. U. S. Department of Health, Education, and Welfare, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health.

*NIOSH. 1997. NIOSH pocket guide to chemical hazards. U.S. Department of Health and Human Services. Public Health Service. Centers for Disease Control and Prevention. National Institute for Occupational Safety and Health.

*NOES. 1995. National Occupational Exposure Survey 1991- 1995. U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health, Cincinnati, Ohio.

*NOES. 1996. National Occupational Exposure Survey 1991- 1995. U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health, Cincinnati, Ohio.

*Norppa H, Vainio H. 1983a. Induction of sister-chromatid exchanges by styrene analogues in cultured human lymphocytes. *Mutat Res* 116:379-387.

Norppa H, Vainio H. 1983b. Genetic toxicity of styrene and some of its derivatives. *Stand J Work Environ Health* 9:108-1 14.

*NRC. 1993. Pesticides in the diets of infants and children. National Research Council, Washington DC: National Academy Press.

*NTP. 1986. Toxicology and carcinogenesis studies of xylenes (mixed) (60% m-xylene, 14% p-xylene, 9%-xylene, and 17% ethylbenzene) in F334/N rats and B6C3F1 mice (gavage studies). Research Triangle Park, NC: National Toxicology Program.

NTP. 1987. Results for mutagenicity in L51784 mouse lymphoma cells. Fiscal year 1987 annual plan.

*NTP. 1988a. National toxicology program: Review of current DHHS, DOE, and EPA research related to toxicology. Fiscal year 1988. Research Triangle Park, NC: US Department of Health and Human Services. Public Health Service.

NTP. 1988b. National toxicology program annual plan for fiscal year 1988. Research Triangle Park, NC: US Department of Health and Human Services, Public Health Service, National Toxicology Program.

*NTP. 1989a. Chemical status report. National Toxicology Program. Division of Toxicology Research and Testing. February 7, 1989.

*NTP. 1989b. Draft, Chairman's report: Pathology Working Group (PWG) Review: Subchronic toxicity test on ethylbenzene (C56393) administered by inhalation in F344 rats and B6C3F1 mice, March 8, 1989.

*NTP. 1990. Chemical status report. National Toxicology Program. Division of Toxicology Research and Testing. July 3, 1990.

*NTP. 1992. Draft, Subchronic and chronic toxicity study of ethylbenzene: 90-day subchronic study report on inhalation exposure of F344/N rats B6C3F1 mice. Prepared for National Toxicology Program of the National Institute of Health by IIT Research Institute, Chicago, Illinois. October 27, 1988.

*NTP. 1996. Toxicology and carcinogenesis studies of ethylbenzene in F344/N rats and B6C3F1 mice. Inhalation studies TR-466. (DRAFT)

*Nunes P, Benville PE Jr. 1979. Uptake and depuration of petroleum hydrocarbons in the Manila clam, *Tapes semidecussata* reeve. Bull Environ Contam 2 1:7 19-726.

*Nutmagul W, Cronn DR, Hill HH Jr. 1983. Photoionization-flame-ionization detection of atmospheric hydrocarbons after capillary gas chromatography. Anal Chem 55:2160-2164.

*O'Brien RJ, Holmes JR, Bockian AH. 1975. Formation of photochemical aerosol from hydrocarbons chemical reactivity and products. Environ Sci Technol 9:568-576.

Ogata M, Fujisawa K, Ogino Y, et al. 1984. Partition coefficients as a measure of bioconcentration potential of crude oil compounds in fish and shellfish. Bull Environ Contam 33:561-567.

*Ogata M, Taguchi T. 1987. Quantitation of urinary metabolites of toluene, xylene, styrene, ethylbenzene, benzene and phenol by automated high-performance liquid chromatography. Int Arch Occup Environ Health 59:263-272.

8. REFERENCES

- *Ogata M, Taguchi T. 1988. Simultaneous determination of urinary creatinine and metabolites of toluene, xylene, styrene, ethylbenzene and phenol by automated high performance liquid chromatography. *Enviro Health* 61(1/2):131-140.
- *OHM/TADS. 1988. Oil and hazardous materials/technical assistance data system. Chemical Information System, Inc., Baltimore, MD. December 1985.
- *Ohta T, Ohyama T. 1985. A set of rate constants for the reactions of OH radicals with aromatic hydrocarbons. *Bull Chem Soc Jpn* 58:3029-3030.
- *Oliver KD, Adams JR, Daughtrey Jr EH, et al. 1996. Technique for monitoring toxic VOCs in air: Sorbent preconcentration, closed-cycle cooler cryofocusing, and GC/MS analysis. *Environ Sci Technol* 30:1939-1945.
- Opdyke DLJ. 1975. Monographs on fragrance raw materials. *Food Cosmet* 13:803-804.
- Osborn AG, Scott DW. 1980. Vapor pressures of 17 miscellaneous organic compounds. *J Chem Thermodynamic* 12:429-438.
- *OSHA. 1974. Occupational Safety and Health Association. Code of Federal Regulations. 29 CFR 1910.
- *OTA. 1990. Neurotoxicology: Identifying and controlling poisons of the nervous system. Office of Technology Assessment, Washington, DC. OTA-BA-438.
- *Otson R, Chan C. 1987. Sample handling and analysis for 51 volatile organics by an adapted purge and trap GC-MS technique. *Int J Environ Anal Chem* 30:275-287.
- *Otson R, Fellin P, Tran Q. 1994. VOCs in representative Canadian residences. *Atmos Environ* 28(22):2563-2569.
- *Otson R, Kumarathasan P. 1995. An automated head space analysis method for xylenes and ethylbenzene in blood and water. *Chemosphere* 30(8):1109-1123.
- *Otson R, Williams DT. 1981. Evaluation of a liquid-liquid extraction technique for water pollutants. *J Chromatogr* 212:187-198.
- *Otson R, Williams DT. 1982. Headspace chromatographic determination of water pollutants. *Anal Chem* 54:942-946.
- *Overton EB, Stewart M, Camey R. 1995. Instrumental consideration for reliable fieldable VOC analyses. *J Hazard Material* 43:77-89.
- *Owen GM, Brozek J. 1966. Influence of age, sex, and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. *Human development*. Philadelphia, PA: Saunders, 222-238.
- Patterson JW, Kodukala PS. 1981. Biodegradation of hazardous organic pollutants. *Chem Eng Prog* 77:48-55.

*Pelizzari ED, Hartwell TD, Harris III BSH, et al. 1982. Purgeable organic compounds in mother's milk. *Bull Environ Contam* 28:322-328.

*Pelizzari ED, Sheldon L, Keever J, et al. 1993. Determination of airborne organic compounds using tenax GC and gas chromatography mass spectrometry. *Environmental Carcinogens Selected Methods of Analysis*. Vol 17. IARC Publication No. 68. International Agency for the Research on Cancer.

*Pelizzari ED, Zweidinger RA, Sheldon LS. 1985. Method 23 breath sampling. *Environmental Carcinogens Selected Methods of Analysis* Vol 17. IARC Publication No. 68. International Agency for the Research on Cancer.

Pereira WE, Rostad CE, Taylor H E, et al. 1982. Characterization of organic contaminants in environmental samples associated with Mount St. Helens 1980 volcanic eruption. *Environ Sci Technol* 16:387-396.

*Pettersson B, Curvall M, Enzell CR. 1980. Effects of tobacco smoke compounds on the noradrenaline induced oxidative metabolism in isolated brownfat cells. *Toxicology* 18:1-15.

*Pierce CH, Dills RL, Silvey GW, et al. 1996. Partition coefficients between human blood or adipose tissue and air for aromatic solvents. *Scandinavian Journal of Work, Environment and Health* 22: 112-118.

Pilotti A, Ancker K, Arrhenius E, et al. 1975. Effects of tobacco and tobacco smoke constituents on cell multiplication *in vitro*. *Toxicology* 5:49-62.

*Pleil JD, Oliver KD, McClenny WA. 1988. Ambient air analysis using nonspecific flame ionization and electron capture detection compared to specific detection by mass spec. *J Air Pollut Control Assoc* 38:1006-1010.

*Plumb RH. 1991. The occurrence of Appendix IX organic constituents in disposal site ground water. *Ground Water Monitoring Review* Spring. 157- 164.

*Polak J, Lu BCY. 1973. Mutual solubilities of hydrocarbons and water at 0 and 25 C. *Can J Chem* 51:4018-4023.

*Possanzini M, Ciccioli P, Brancaleoni E, et al. 1982. Gas chromatographic detection of hydrocarbons in the atmosphere using specific GC detectors and mass spectrometry in selected ion monitoring mode. *Comm Eur Communities, Eur Iss Eur* 7624 (Phys Chem Behav Atmos Pollut), 76-81.

*Potter TL. 1993. Analysis of petroleum contaminated soil and water: An overview. In: Calabrese EJ, Kostecki PT, eds. *Principles and Practices for petroleum contaminated soils*. Boca Raton, FL: Lewis Publishers, 1-14.

*Ptacek CJ, Cherry JA, Gillham RW. 1984. Mobility of dissolved petroleum derived hydrocarbon in sand aquifers. In: Vandermeulen JH, Hrudey SE, eds. *Oil in freshwater: Chemistry, biology, countermeasure technology*. New York, NY: Pergamon Press, 195-212.

- *Pyykko K, Paavilainen S, Metsa-Ketela T, et al. 1987. The increasing and decreasing effects of aromatic hydrocarbon solvents on pulmonary and hepatic cytochrome P-450 in the rat. *Pharmacol* 60:288-293.
- *Quigley CJ, Corsi RL. 1995. Emissions of VOCs from a municipal sewer. *J Air & Waste Manage Assoc* 45:395-403.
- *Radzikowska-Kintzi H, Jakubowski M. 1981. Internal standardization in the head space analysis of organic solvents in blood. *Int Arch Occup Environ Health* 49:115-123.
- *Ransley DL. 1984. Xylenes and ethylbenzene. In: Grayson M, ed. *Kirk-Othmer encyclopedia of chemical technology*. Vol. 24, New York, NY: John Wiley & Sons, 709-744.
- *Rao PSC, Hornsley AG, Kilcreae DF, et al. 1985. Sorption and transport of hydrophobic organic chemicals in aqueous and mixed solvent systems: Model development and preliminary evaluation. *J Environ Qual* 14:376-382
- *Rappaport SM, Selvin S, Waters MA. 1987. Exposure to hydrocarbon components of gasoline in the petroleum industry. *Appl Ind Hyg* 2:148-154.
- *Ravishankara AR, Wagner S, Fischer S, et al. 1978. A kinetics study of thereactions of hydroxyl with several aromatic and olefmic compounds. *Int J Chem Kinet* 10:783-804.
- *Raykar PV, Fung MC, Anderson BD. 1988. The role of protein and lipid domains in the uptake of solutes by human stratum comeum. *Pharmacol Res* 5(3):140-150.
- Rhue RD, Rao PSC, Smith RE. 1988. Vapor-phase adsorption of alkyl benzenes and water on soils and clays. *Chemosphere* 17:727-74 I.
- Ribbons DW, Eaton RW. 1982. Chemical transformations of aromatic hydrocarbons that support the growth. In: Chakrabarty AM, ed. *Biodegradation and detoxification of environmental pollutants*. CRC Press, Inc., 59-84.
- *RIDH. 1989. Written communication regarding ethylbenzene levels in private well water, public drinking water and health-related guidelines. Providence, RI: Department of Health (June 19).
- *Riedel K, Ruppert T, Conze C, et al. 1996. Determination of benzene and alkylated benezenes in ambient and exhaled air by microwave desorption coupled with gas chromatogarphy-mass spectrometry. *J Chromatogr A* 719(2):383-389.
- Rio Blanc0 Oil Shale Co. 1984. Results of industrial hygiene survey at shaleoil process development unit with cover letter and attached list of toxicity studies.
- Roberfroid M, Poncelet F, Lambotte-Vandepaer M, et al. 1978. Acute biotoxiceffect of styrene on rat liver. Correlation with enzyme-mediated mutagenicity of benzpyrene and acrylonitrile. *Stand J Work Environ Health* 4:163-168.

- *Roberts MS, Triggs EJ, Anderson RA. 1975. Permeability of solutes through biological membranes measured by a desorption technique. *Nature* 257:225-227.
- *Romanelli A, Falzoi M, Mutti A, et al. 1986. Effects of some monocyclic aromatic solvents and their metabolites on brain dopamine in rabbits. *J Appl Toxicol* 6(6):431-435.
- *Romer KG, Federsel RJ, Freundt KJ. 1986. Rise of inhaled toluene, ethyl benzene, m-xylene, or mesitylene in rat blood after treatment with ethanol. *Bull Environ Contam* 37:874-876.
- *Rosen AA, Skeel RT, Ettinger MB. 1963. Relationship of river water odor to specific organic contaminants. *J Water Pollut Cont Fed* 35:777-782.
- *Rosenfeld JK, Plumb Jr RH. 1991. Ground water contamination at wood treatment facilities. *Ground Water Monitoring Review* 11:136-143.
- *Rowe LB. 1986. Human Circulation, regulation during physical stress. Oxford Univ. Press, New York.
- Rowe LB, Griffin RA. 1985. Mobility of organic solvents in water-saturated soil materials. *Environ Geol Water Sci* 7:241-247.
- Sabljić A. 1984. Prediction of the nature and strength of soil sorption of organic pollutants by molecular topology. *J Agric Food Chem* 32:243-246.
- Sabljić A. 1987. On the prediction of soil sorption coefficients of organic pollutants from molecular structure: Application of molecular topology model. *Environ Sci Technol* 21:358-366.
- *Sack TM, Steele DH, Hammerstrom K, et al. 1992. A survey of household products for volatile organic compounds. *Atmos Environ* 26A(6):1063-1070.
- *Sandmeyer E. 1981. Aromatic hydrocarbons: Ethylbenzene. In: Clayton GD, Clayton FE, eds. *Patty's industrial hygiene and toxicology*. Vol. 2B, 3rd ed. 3303-3307.
- Sanemasa I, Araki M, Deguchi T, et al. 1981. Solubilities of benzene and the alkylbenzenes in water - method for obtaining aqueous solutions saturated with vapors in equilibrium with organic liquids. *Chem Lett* 2:225.
- Sanemasa I, Araki M, Deguchi T, et al. 1982. Solubility measurements of benzene and the alkylbenzenes in water by making use of solute vapor. *Bull Chem Soc Jpn* 55:1054-1062.
- Sato A, Nakajima T. 1979. Partition coefficients of some aromatic hydrocarbons and ketones in water, blood, and oil. *Br J Ind Med* 36:231-234.
- *Sauer PA, Tyler EJ. 1995. Heavy metal and volatile organic chemical removal and treatment in on-site wastewater infiltration systems. I. Catch basins and septic tanks. *Water, Air, and Soil Pollution* 89:221-232.

Sauer TC Jr. 1981. Volatile organic compounds in open ocean and coastal surface waters. *Org Geochem* 3:91-101.

*Sauer TC Jr, Sackett WM, Jeffrey LM. 1978. Volatile liquid hydrocarbons in the surface coastal waters of the Gulf of Mexico. *Mar Chem* 7:1-16.

*Sax NI, Lewis RJ Sr. 1989. Dangerous properties of industrial materials. Volume II. 7th ed. New York, NY: Van Nostrand Reinhold, 1601.

*Scheuplein RJ. 1976. Permeability of the skin: A review of some major concepts. *J Invest Dermatol* 67:672-676.

*Scheuplein RJ, Blank IH, Brauner GJ, et al. 1969. Percutaneous absorption of steroids. *J. Invest. Dermatol.* 52(1):63-70.

Schirmer RE, Pahl TR, Phelps DW. 1984. Application of internal standards in routine vapor measurements by gas chromatography. *Am Ind Hyg Assoc J* 45:95-98.

*Schuberth J. 1996. A full evaporation headspace technique with capillary GC and ITD: A means for quantitating volatile organic compounds in biological samples. *J Chromatogr Sci* 34(7):314-319.

Schwartz FP, Miller J. 1980. Determination of the aqueous solubilities of organic liquids at 10.0, 20.0 and 30.0 C by elution chromatography. *Anal Chem* 52:2162-2164.

*Seila RL. 1979. Non-urban hydrocarbon concentrations in ambient air north of Houston, Texas. Research Triangle Park, NC: US Environmental Protection Agency. EPA 500/3-79-010., 38.

Selvakumar A, Hsieh HN. 1987. Absorption of organic compounds by microbial biomass. *Int J Environ Stud* 30:313-319.

*Sequeira DJ, Eyer CS, Cawley GF, et al. 1992. Ethylbenzene-mediated induction of cytochrome P450 isozymes in male and female rats. *Biochem Pharmacol* 44(6):1171-1182

*Setchell BP, Waites GMH. 1975. The blood testis barrier. In: Creep RO, Astwood EB, eds., Geiger SR, executive ed. *Handbook of Physiology: Endocrinology V* (Chapter 6). Washington DC: American Physiological Society.

*Seto Y. 1994. Determination of volatile substances in biological samples by headspace gas chromatography. *J Chromatogr A* 674 25-62.

Sgaragli G, Della Corte L, Rizzotti-Conti M, et al. 1977. Effects of monocyclic compounds on biomembranes. *Biomed Pharmacol* 26:2145-2149.

Shackelford WM, Keith LH. 1976. Frequency of organic compounds identified in water. Athens, GA: US Environmental Protection Agency. EPA 600/4-76-062.

8. REFERENCES

- *Shah JJ, Heyerdahl EK. 1988. National ambient volatile organic compounds (VOCs) data base update. Report by Nero and Associates, Inc., Portland, OR, to US Environmental Protection Agency, Atmospheric Sciences Research Laboratory, Research Triangle Park, NC. EPA 600/3-88/010(A).
- *Shatkin JA, Brown HS. 1991. Pharmacokinetics of the dermal route of exposure to volatile organic chemicals in water: A computer simulation model. *Environ Res* 56(1):90-108.
- Shen TT. 1982. Estimation of organic compound emissions from waste lagoons. *J Air Pollut Control Assoc* 32:79-82.
- Shields HC, Weschler CJ. 1987. Analysis of ambient concentrations of organic vapors with a passive sampler. *J Air Pollut Control Fed* 37:1039-1045.
- *Shinohara R, Kido A, Eto S, et al. 1981. Identification and determination of trace organic substances in tap water by computerized gas chromatography-mass spectrometry and mass fragmentography *Water Res* 15:535-542.
- *Shirey RE. 1995. Rapid analysis of environmental samples using solid-phase microextraction (SPME) and narrow bore capillary columns. *J High Resol Chromatogr* 18(8):495-499.
- *Sikkema J, De Bont J AM, Poolman B. 1995. Mechanisms of membrane toxicity of hydrocarbons. *Microbial Rev* 59(2):201-222.
- *Singh HB, Salas LJ, Cantrell BK, et al. 1985. Distribution of aromatic hydrocarbons in the ambient air. *Atmos Environ* 19:1911-1919.
- Singh HG, Salas LJ, Smith AJ, et al. 1981. Measurements of some potentially hazardous organic chemicals in urban environments. *Atmos Environ* 15:601-612.
- Smith JH, Harper JC. 1982. Behavior of hydrocarbon fuels in aquatic systems. Proceed 12th Conf on Environmental Toxicology 3,4, and 5 Nov 81. OH: Airforce Aerospace Medical Research Laboratory, 336-353.
- *Smith JN, Smithies RH, Williams RT. 1954a. The metabolism of alkylbenzenes. Stereochemical aspects of the biological hydroxylation of ethylbenzene to methylphenylcarbinol. *Biochem J* 56:320-324.
- *Smith JN, Smithies RH, Williams RT. 1954b. The metabolism of alkylbenzenes. (a) Glucuronic acid excretion following the administration of alkylbenzenes. (b) Elimination of toluene in the expired air of rabbits. *Biochem J* 56:317-320.
- *Smyth H Jr, Carpenter CP, Weil CS, et al. 1962. Range finding toxicity data: List VI. *Am Indus Hyg Assoc J* 23:95-107.
- *Snider EH, Manning FS. 1982. A survey of pollutant emission levels in wastewaters and residuals from the petroleum refining industry. *Environ Int* 7:237-258.

8. REFERENCES

- *Sollenberg J, Smallwood AW, Lowry LK. 1985. Determination of mandelic and phenylglyoxylic acids in rat urine by high- performance liquid chromatography and by isotachopheresis. *J Chromatogr* 343:175-178.
- *SRC. 1994. Syracuse Research Center. Atmospheric Oxidation Program (AOPWIN Version 1.65, Serial 0156). Chemical Hazard Assessment Division, Environmental Chemistry Center, Syracuse, NY.
- *SRC. 1995. Atmospheric oxidation program AOPWIN version 1.65, serial 0156) Chemical Hazard Assessment Division, Environmental Chemistry Center, Syracuse, New York Syracuse Research Corporation, Syracuse New York.
- *SRI. 1988. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International.
- *SRI. 1990. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International.
- *SRI. 1992. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International.
- *SRI. 1994. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International.
- *SRI. 1995. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International.
- *SRI. 1996. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International.
- *St-Germain F, Mamer O, Brunet J, et al. 1995. Volatile organic compound analysis by an inertial spray extraction interface coupled to an ion trap mass spectrometer. *Anal Chem* 67:4536-4541.
- *Stanley JS. 1986. Broad scan analysis of the FY82 National Human Adipose Tissue Survey specimens volume I-executive summary. Report to US Environmental Protection Agency, Office of Toxic Substances, Design and Development Branch, Field Studies Branch, National Human Monitoring Program, Washington, DC.
- *Staples CA, Werner AF, Hoogheem TJ. 1985. Assessment of priority pollutant concentrations in the United States using STORET database. *Environ Chem* 4: 131- 142.
- *Stein VB, Narang RS. 1990. A simplified method for the determination of volatiles in eggs using headspace analysis with a photoionization detector. *Arch Environ Contam* 19:593-596.
- *Stokman SK. 1987. Estimations of concentrations of soluble petroleum hydrocarbons migrating into ground water from contaminated soil sources. Proceedings of the NWWA/IAPI Conference on Petroleum Hydrocarbons and Organic Chemicals in Groundwater: Prevention, Detection and Restoration. National Water Well Association, Dublin, OH. 541-558

8. REFERENCES

- *Stubin AI, Brosnan TM, Porter KD, et al. 1996. Organic priority pollutants in new york city municipal wastewaters: 1989-1993. *Water Environment Research* 68(6):1037-1044.
- *Stuermer DH, Ng DJ, Morris CJ. 1982. Organic contaminants in groundwater near an underground coal gasification site in northeastern Wyoming. *Environ Sci Technol* 16:582-587.
- *Sugita T, Ishiwata H, Kawamura Y, et al. 1995. Headspace gas chromatographic analysis of residual volatile substances in polystyrene food containers. *J Food Hyg Soc Jpn* 36(2):263-268. [Japanese]
- *Sullivan HR, Miller WM, McMahon RE. 1976. Reaction pathways of *in vivo* stereoselective conversion of ethylbenzene to (-)-mandelic acid. *Xenobiotica* 6:49-54.
- *Susten AS, Niemeier RW, Simon SD. 1990. *In vivo* percutaneous absorption studies of volatile organic solvents in hairless mice. II. Toluene, ethylbenzene and aniline. *J Appl* 10(3):217-225.
- *Sutton C, Calder JA. 1975. Solubility of alkylbenzenes in distilled and seawater 25.OxC. *J Chem Eng Data* 20:320-322.
- *Swarm RL, Laskowski DA, McCall PJ, et al. 1983. A rapid method for the estimation of the environmental parameters octanol/water partition coefficient, soil sorption constant, water to air ratio, and water solubility. In: *Residue Reviews*. New York Inc, Springer-Verlag. Volume 85, 17-28.
- Swedrowska H, Jamuszkiewicz I, Slebioda K. 1986. Application of gas chromatography in conjunction with enrichment of samples on active carbon to determine low concentrations of organic compounds in air. Part I. Aromatic hydrocarbons. *Bull Inst Marit Trop Med Gdynia* 37:103-112.
- Takeuchi Y, Ono Y, Hisanaga N, et al. 1982. Environmental and health surveys on car repair workers exposed to organic solvents. *Jpn J Ind Health* 24:305-313.
- *Tanii H, Huang J, Hashimoto K. 1995. Structure-acute toxicity relationship of aromatic hydrocarbons in mice. *Lett* 76(1):27-31.
- *Tardif R, Charest-Tardif G, Brodeur J. 1996. Comparison of the influence of binary mixtures versus a ternary mixture of inhaled aromatic hydrocarbons on their blood kinetics in the rat. *Arch* 70(7):405-413.
- Tatrai E, Balogh T, Baca G, et al. 1982. [Embryotoxic effect of ethylbenzene]. *Egeszsegtudomány* 26:297-303. (Hungarian).
- *Tegeris JS, Balster RL. 1994. A comparison of the acute behavioral effects of alkylbenzenes using a functional observational battery in mice. *Fund Appl* 22(2):240-250.
- *Tester DJ, Harker RJ. 1981. Groundwater pollution investigations in the Great Ouse Basin. *Water Pollut Control* 80:614-631.
- Thelestram M, Curvall M, Enzell CR. 1980. Effect of tobacco smoke compounds on the plasma membrane of cultured human lung fibroblasts. *Toxicology* 15:203-217.

- *Thienes C, Haley TJ. 1972. Clinical toxicology. 5th ed. Philadelphia, PA:Lea and Febiger, 126
- *Thomas KW, Pellizzari ED, Cooper SD. 1991. A canister-based method for collection and GC/MS analysis of volatile organic compounds in human breath. *J Anal* 15(2):54-59.
- *Thomas KW, Pellizzari ED, Raymer JH, et al. 1992. Kinetics of low-level volatile organic compounds in breath - I. Experimental design and data quality. *J Exp Anal Environ Epidemiol* 2(2):45-66.
- Toftgard R, Nilsen OG. 1981. Induction of cytochrome P-450 in rat liver after inhalation of aromatic organic solvents. *Ind Environ Xenobiotics Proc Int Conf* 307-317.
- *Toftgard R Nilsen OG. 1982. Effects of xylene and xylene isomers on cytochrome P-450 and in vitro enzymatic activities in rat liver kidney and lung. *Toxicology* 23: 197-212.
- *TRI. 1989. Toxic Chemical Release Inventory (database). U.S. Environmental Protection Agency, Office of Toxic Substance, Washington, D.C. Tsani-Bazaca E, McIntyre AE, Lester J, et al. 1982. Ambient concentrations and correlations of hydrocarbons and halocarbons in the vicinity of an airport. *Chemosphere* 11:11-23.
- *TRI96. 1998. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *Tsuruta H. 1982. Percutaneous absorption of organic solvents: 3. Penetration rates of hydrophobic solvents through excised rat skin. *Ind Health* 20:335-346.
- *U.S. Congress 1986. Hazardous air pollutants. Clean Air Act, Title 3.
- *U.S. Congress 1990. Hazardous air pollutants. Clean Air Act, Title 3.
- *Ungvary G. 1986. Solvent effects on reproduction: Experimental Toxicity. 220:169-177.
- *Ungvary G, Tatrai E. 1985. On the embryotoxic effects of benzene and its alkyl derivatives in mice, rats and rabbits. *Arch (Suppl)* 8:425-430.
- Uno I, Wakamatsu S, Wadden RA, et al. 1985. Evaluation of hydrogen reactivity in urban air. *Atmos Environ* 19:1283-1293.
- *USDOC. 1996. U.S. Imports and exports for ethylbenzene. National Trade Data Base. U.S. Department of Commerce. October 1996.
- *USITC. 1987. Synthetic organic chemicals: United States production and sales, 1986. Washington, DC: US International Trade Commission.
- *USITC. 1994. Preliminary report on U.S. production of selected synthetic organic chemicals: first quarter, second quarter, and cumulative totals. United States International Trade Commission.
- *Vaalavirta L, Tahti H. 1995a. Astrocyte membrane Na⁺, K⁽⁺⁾-ATPase and Mg⁽²⁺⁾-ATPase as targets of organic solvent impact. *Life Sci* 57(24):2223-2230.

- *Vaalavirta L, Tahti H. 1995b. Effects of selected organic solvents on the astrocyte membrane ATPase in vitro. *Clin Exper Pharmacol Physiol* 22(4):293-294.
- *Van der Linden AC, Thijsse GJE. 1965. The mechanisms of microbial oxidations of petroleum hydrocarbons. *Adv Enzymol* 27:469-546.
- *Verhoeff AP, Suk J, Van Wijnen JH. 1988. Residential indoor air contamination by screen printing plants. *Int Arch Occup Environ Health* 60:201-209.
- *Verschuere K. 1983. Handbook of environmental data on organic chemicals. 2nd ed. New York, NY: Van Nostrand Reinhold Co., 628630.
- Veulemans H, Groeseneken D, Masschelein R, et al. 1987. Survey of ethylene glycol ether exposures in Belgian industries and workshops. *Am Indust Hyg Assoc J* 48:671-677.
- *Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2E1 in the human liver: hypermethylation control of gene expression during the neonatal period. *European Journal of Biochemistry* 238:476-483.
- *Vleminckx C, Klemans W, Schriewer L, et al. 1997. Performance of cytogenetic biomarkers on children exposed to environmental pollutants. *Toxicology and Industrial Health* 13 (2-3):219-230.
- Von Oettingen WF, Neal PA, Donahue DD. 1942. The toxicity and potential danger of toluene. *J Amer Med Assoc* 118:579-584.
- *Vowles PD, Mantoura RFC. 1987. Sediment-water partition coefficients and HPLC retention factors of aromatic hydrocarbons. *Chemosphere* 16: 109-116.
- *Voznakova Z, Popl M, Berka M. 1978. Recovery of aromatic hydrocarbons from water. *J Chromatogr Sci* 16:123-127.
- *Wadden RA, Scheff PA, Franke JE, et al. 1995. VOC emission rates and emission factors for a sheet fed offset printing shop. *Am Ind Hyg Assoc J* 56:368-376.
- *Wade OL, Bishop JM, Donald KW. 1962. Cardiac Output and Regional Blood Flow, Chaps 5 and 6, Davis, Philadelphia.
- *Wakeham SG, Davis AC, Karas JL. 1983. Mesocosm experiments to determine the fate and persistence of volatile organic compound in coastal seawater. *Environ Sci Technol* 17:611-617.
- *Wallace L, et al. 1982. Monitoring individual exposure measurements of volatile organic compounds in breathing-zone air, drinking water, and exhaled breath.
- *Wallace L, Pellizzari E, Hartwell T, et al. 1984. Analysis of exhaled breath of 355 urban residents for volatile organic compounds. *Indoor Air. Vol. 4. Chemical Characterization and Personal Exposure. Proceedings of the International Conference (3rd) on Indoor Air Quality and Climate Held in Stockholm on August 20-24, 1984. NTIS PB85 104-214., 15-20.*

8. REFERENCES

- *Wallace L, Pellizzari E, Hartwell T, et al. 1986. Concentrations of 20 volatile organic compounds in the air and drinking water of 350 residents of New Jersey compared with concentrations in their exhaled breath. *J Occup Med* 28:603-608.
- *Wallace L, Pellizzari E, Hartwell TD, et al. 1987c. Exposures to benzene and other volatile compounds from active and passive smoking. *Arch Environ Health* 42:272-279.
- Wallace LA. 1986. Personal exposures, indoor and outdoor air concentrations, and exhaled breath concentrations of selected volatile organic compounds measured for 600 residents of New Jersey, North Dakota, North Carolina and California. *Environ Chem* 12:215-236.
- *Wallace LA, Pellizzari E, Leaderer B, et al. 1987b. Emissions of volatile organic compounds from building materials and consumer products. *Atmos Environ* 21:385-393.
- Wallace LA, Pellizzari ED, Hartwell TD, et al. 1985. Personal exposures, indoor-outdoor relationships, and breath levels of toxic air pollutants measured for 335 persons in New Jersey. *Atmos Environ* 19:1651-1661.
- *Wallace LA, Pellizzari ED, Hartwell TD, et al. 1987a. The TEAM study: Personal exposures to toxic substances in air, drinking water, and breath of 400 residents of New Jersey, North Carolina, and North Dakota. *Environ Res* 43:290-307.
- Wallace LA, Pellizzari ED, Hartwell TD, et al. 1989. The influence of personal activities on exposure to volatile organic compounds 1.2. *Environ Res* 50(1):37-55.
- Wasik SP, Miller MM, Tewari YB, et al. 1983. Determination of the vapor pressure, aqueous solubility, and octanol/water partition coefficient of hydrophobic substances by coupled generator column/liquid chromatographic methods. *Residue Reviews* 85:29-42.
- *Weast RC, ed. 1988. *CRC Handbook of chemistry and physics*. 69th ed. Boca Raton, FL: CRC Press, Inc., C-269.
- *West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. *J of Pediatrics* 32a: 10-18.
- *Whitehead LW, Ball GL, Fine LJ, et al. 1984. Solvent vapor exposures in booth spray painting and spray glueing, and associated operations. *Am Ind Hyg Assoc J* 45:767-772.
- *WHO. 1996. *Guidelines for drinking-water quality. Volume 2. Health criteria and other supporting information. Second Edition*. World Health Organization. Geneva. 1996.
- *Widdowson EM, Dickerson JWT. 1964. Chapter 17: Chemical composition of the body. In: *Mineral metabolism: an advanced treatise volume II - the elements part A* (editors: CL. Comar and Felix Bronner), Academic Press, New York.
- *Wilson BH, Smith GB, Rees JF. 1986. Biotransformations of selected alkylbenzenes and halogenated aliphatic hydrocarbons in methanogenic aquifer material: A microcosm study. *Environ Sci Technol* 20:997-1002.

- *Wolf MA, Rowe VK, McCollister DD, et al. 1956. Toxicological studies of certain alkylated benzenes and benzene: Experiments on laboratory animals. *AMA Arch Ind Health* 14:387-398.
- *Wolff MS. 1976. Evidence for existence in human tissues of monomers for plastics and rubber manufacture. *Environ Health Perspect* 17: 183- 187.
- *Wolff MS, Daum SM, Lorimer WV, et al. 1977. Styrene and related hydrocarbons in subcutaneous fat from polymerization workers. *J Environ Health* 2:997-1005.
- *Wrbitzky R, Goen T, Letzel S, et al. 1995. Internal exposure of waste incineration workers to organic and inorganic substances. *Inter Arch Occup Environ Health* 68(1):13-21.
- *Yadav JS, Reddy CA. 1993. Degradation of benzene, toluene, ethylbenzene, and xylenes (BTEX) by the lignin-degrading basidiomycete *phanerochaete chrysosporium*. *App Environm Microbial* 59(3):756-762.
- *Yalkowsky SH, Valvani SC. 1976. Partition coefficients and surface areas of some alkylbenzenes. *J Med Chem* 19:727-728.
- *Yamamoto RK, Cook W A. 1968. Determination of ethyl benzene and styrene in air by ultraviolet spectrophotometry. *Am Ind Hyg Assoc* 238-241.
- *Yamasaki Y. 1984. [The determination of urinary metabolites of ethylbenzene by high- performance liquid chromatography]. *Okayama Igakkai Zasshi* 96:531-535. (Japanese).
- *Yanagihara S, Shimada I, Shinoyama E, et al. 1977. Photochemical reactivities of hydrocarbons. *Proc Int Clean Air Congr* 4th:472-477.
- *Yant WP, Schrenk HH, Waite CP, et al. 1930. Acute response of guinea pigs to vapors of some new commercial organic compounds. II. Ethylbenzene. *Pub Health Rep* 45: 1241- 1250.
- Yaws CL. 1975. Toluene, ethylbenzene, and cumene. *Chem Eng* 82:73-81.
- Young P, Parker A. 1984. Vapors, odors, and toxic gases from landfills. *ASTM Spec Tech Publ* 85 1 851:24-41.
- *Yuan W, Cawley GF, Eyer CS, et al. 1994. Induction of P450 3A by ethylbenzene without altering RNA levels. *Biochem Biophys Res Commun* 202(3):1259-1265.
- *Yuan W, Sequeira DJ, Cawley GF, et al. 1997. Time course for the modulation of hepatic cytochrome p450 after administration of ethylbenzene and its correlation with toluene metabolism. *Arch Biochem Biophys* (Mar 1 1997) 339 (1):55-63.
- *Yuan W, Serron SC, Haddican MM, et al. 1997. Ethylbenzene modulates the expression of different cytochrome p-450 isozymes by discrete multistep processes. *Biochimica et Biophysics Acta* 1334(2-3):361-72.
- *Yuan W, White T B, White J W, et al. 1995. Relationship between hydrocarbon structure and induction of P450: Effect on RNA levels. *Xenobiotica* 25 (1):9-16.

8. REFERENCES

- *Zappi ME, Rogers BA, Teeter CL, et al. 1996. Bioslurry treatment of a soil contaminated with low concentration of total petroleum hydrocarbons. *J Hazardous Materials* 46:11-12.
- Zarth MOF, Smith RG, Schroeder ED, et al. 1984. Removal of toxic organics by overland flow. *Vom Wasser* 63:281-197.
- *Zenz C. 1994. Styrene. *Occupational Medicine*. 3rd. ed. St Louis, Mosby 724-731.
- *Ziegler EE, Edwards BB, Jensen RL et al. 1978. Absorption and retention of lead by infants. *Pediatr Res* 12:29-34.
- *Zielinska B, Sagebiel JC, Harshfield G, et al. 1996. Volatile organic compounds up to C20 emitted from motor vehicles; measurement methods. *Atmos Environ* 30(12):2269-2286.
- Zoeteman BCJ, Degreef E, Brinkman FJJ. 1981. Persistency of organic contaminants in groundwater, lessons from soil pollution incidents in the Netherlands. *Sci Total Environ* 21: 187-202.
- *Zweidinger RB, Sigsby JE Jr, Tejada SB, et al. 1988. Detailed hydrocarbon and aldehyde mobile source emissions from roadway studies. *Environ Sci Tech* 22:956-962.